

ر د ر د بح تر و تر 1

CITES APPENDIX I

Part I

FAUNA (animals)

Phylum—Chordata

Class—Mammalia (mammals)

| Order | Family | Genus, species, or subspecies | Exceptions |
|--------------|-----------------------------|-------------------------------|-------------------------------------|
| Artiodactyla | Antilocapridae – Pronghorns | Antilocapra americana | Only the population of Mexico is |
| Artiodaetyla | Anthocaphaac Tronghoms | Antilocapia americana | included in this Appendix. No other |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|-------------------------------------|-------------------------------|---|
| | | | population is included in the |
| | | | Appendices |
| | | Addax nasomaculatus | |
| | | | Excludes the domesticated form, |
| | | Bos gaurus | which is referenced as <i>Bos frontalis</i> , |
| | | bos gaaras | and is not subject to the provisions |
| | | | of the Convention |
| | | | Excludes the domesticated form, |
| | | Bos mutus | which is referenced as <i>Bos</i> <i>grunniens</i> , and is not subject to the |
| | | | provisions of the Convention |
| | <i>Bovidae</i> – Antelopes, cattle, | Bos sauveli | |
| | duikers, gazelles, goats, sheep, | Bubalus depressicornis | |
| | etc. | Bubalus mindorensis | |
| | | Bubalus quarlesi | |
| | | Capra falconeri | |
| | | Capricornis milneedwardsii | |
| | | Capricornis rubidus | |
| | | Capricornis sumatraensis | |
| | | Capricornis thar | |
| | | Cephalophus jentinki | |
| | | Gazella cuvieri | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|---|-------------------------------|---|
| | | Gazella leptoceros | |
| | | Hippotragus niger variani | |
| | | Naemorhedus baileyi | |
| | | Naemorhedus caudatus | |
| | | Naemorhedus goral | |
| | | Naemorhedus griseus | |
| | | Nanger dama | |
| | | Oryx dammah | |
| | | Oryx leucoryx | |
| | | Ovis gmelini | Only the population of Cyprus; no other population is included in the Appendices |
| | | Ovis hodgsoni | |
| | | Ovis nigrimontana | |
| | | Ovis vignei | |
| | | Pantholops hodgsonii | |
| | | Pseudoryx nghetinhensis | |
| | <i>Camelidae –</i> Guanacos, vicunas | Vicugna vicugna | (Except the populations of: Argentina [populations of the Provinces of Catamarca, Jujuy and |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|----------------------------------|-------------------------------|---------------------------------------|
| | | | Salta, and semi-captive populations |
| | | | of the Provinces of Catamarca, Jujuy, |
| | | | La Rioja, Salta and San Juan], Chile |
| | | | [populations of the region of Arica |
| | | | and Parinacota and of the region of |
| | | | Tarapacá], Ecuador, Peru and the |
| | | | Plurinational State of Bolivia, which |
| | | | are included in Appendix II |
| | | Axis calamianensis | |
| | | Axis kuhlii | |
| | | Axis porcinus annamiticus | |
| | | Blastocerus dichotomus | |
| | | Cervus elaphus hanglu | |
| | Corridae Deer buomula | Dama dama mesopotamica | |
| | <i>Cervidae</i> – Deer, huemuls, | Hippocamelus spp. | |
| | muntjacs, pudus | Muntiacus crinifrons | |
| | | Muntiacus vuquangensis | |
| | | Ozotoceros bezoarticus | |
| | | Pudu puda | |
| | | Rucervus duvaucelii | |
| | | Rucervus eldii | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------|--|--------------------------------|--|
| | <i>Moschidae</i> – Musk deer | <i>Moschus</i> spp. | Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Appendix II |
| | | Babyrousa babyrussa | |
| | | Babyrousa bolabatuensis | |
| | <i>Suidae –</i> Babirusa, hogs | Babyrousa celebensis | |
| | | Babyrousa togeanensis | |
| | | Sus salvanius | |
| | Tayassuidae - Peccaries | Catagonus wagneri | |
| | <i>Ailuridae</i> – Red panda | Ailurus fulgens | |
| Carnivora | <i>Canidae –</i> Wild dogs, foxes, wolves | Canis lupus | Only the populations of Bhutan, India, Nepal and Pakistan; all other populations are included in Appendix II. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus</i> <i>familiaris</i> and <i>Canis lupus dingo</i> , respectively, which are not subject to the provisions of the Convention |
| | | Speothos venaticus | |
| | <i>Felidae</i> – Cats | Acinonyx jubatus ⁴⁵ | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|-------------------------------|--|
| | | Caracal caracal | Only the population of Asia; all other populations are included in Appendix II |
| | | Catopuma temminckii | |
| | | Felis nigripes | |
| | | Herpailurus yagouaroundi | Only the populations of Central and North America; all other populations are included in Appendix II |
| | | Leopardus geoffroyi | |
| | | Leopardus guttulus | |
| | | Leopardus jacobita | |
| | | Leopardus pardalis | |
| | | Leopardus tigrinus | |
| | | Leopardus wiedii | |
| | | Lynx pardinus | |
| | | Neofelis diardi | |
| | | Neofelis nebulosa | |
| | | Panthera leo | Only the populations of India; all other populations are included in Appendix II |
| | | Panthera onca | |
| | | Panthera pardus | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|---|---|--|
| | | Panthera tigris | |
| | | Panthera uncia | |
| | | Pardofelis marmorata | |
| | | Prionailurus bengalensis bengalensis | Only the populations of Bangladesh, India and Thailand; all other populations are included in |
| | | Prionailurus planiceps | Appendix II |
| | | Prionailurus rubiginosus | Only the population of India; all other populations are included in Appendix II |
| | | Puma concolor | Only the populations of Costa Rica and Panama; all other populations are included in Appendix II |
| | | Aonyx capensis microdon | Only the populations of Cameroon and Nigeria; all other populations are included in Appendix II |
| | <i>Mustelidae –</i> Badgers, | Aonyx cinerea | |
| | martens, otters, weasets, etc; Lutrinae – Otters | Enhydra lutris nereis | |
| | | Lontra felina | |
| | | Lontra longicaudis | |
| | | Lontra provocax | |
| | | Lutra lutra | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--|-------------------------------|--|
| | | Lutra nippon | |
| | | Lutrogale perspicillata | |
| | | Pteronura brasiliensis | |
| | <i>Mustelinae</i> – Grisons, honey | | |
| | badgers, martens, tayra, | Mustela nigripes | |
| | weasels | | |
| | <i>Otariidae</i> – Fur seals, sealions | Arctocephalus townsendi | |
| | <i>Phocidae</i> – Seals | <i>Monachus</i> spp. | |
| | | Ailuropoda melanoleuca | |
| | | Helarctos malayanus | |
| | | Melursus ursinus | |
| | | Tremarctos ornatus | |
| | <i>Ursidae –</i> Bears, giant pandas | Ursus arctos | Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Appendix II |
| | | Ursus arctos isabellinus | |
| | | Ursus thibetanus | |
| | <i>Viverridae –</i> Binturong, civets, | | |
| | linsangs, otter-civet, palm | Prionodon pardicolor | |
| | civets | | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|---------|---|-------------------------------|---|
| | <i>Balaenidae –</i> Bowhead whale, | Balaena mysticetus | |
| | right whales | <i>Eubalaena</i> spp. | |
| | | Balaenoptera acutorostrata | Except the population of West Greenland, which is included in Appendix II |
| | | Balaenoptera bonaerensis | |
| | <i>Balaenopteridae</i> – Fin whales, | Balaenoptera borealis | |
| | humpback whales, rorquals | Balaenoptera edeni | |
| | nampouek mules, rereaus | Balaenoptera musculus | |
| | | Balaenoptera omurai | |
| Cetacea | | Balaenoptera physalus | |
| | | Megaptera novaeangliae | |
| | | Orcaella brevirostris | |
| | <i>Delphinidae –</i> Dolphins | Orcaella heinsohni | |
| | | <i>Sotalia</i> spp. | |
| | | <i>Sousa</i> spp. | |
| | <i>Eschrichtiidae</i> – Grey whale | Eschrichtius robustus | |
| | <i>Iniidae</i> – River dolphins | Lipotes vexillifer | |
| | <i>Neobalaenidae</i> – Pygmy right whale | Caperea marginata | |
| | <i>Phocoenidae</i> – Porpoises | Neophocaena asiaeorientalis | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|----------------|---------------------------------------|-------------------------------|------------|
| | | Neophocaena phocaenoides | |
| | | Phocoena sinus | |
| | <i>Physeteridae</i> – Sperm whales | Physeter macrocephalus | |
| | <i>Platanistidae</i> – River dolphins | <i>Platanista</i> spp. | |
| | Ziphiidae – Beaked whales, | Berardius spp. | |
| | bottle-nosed whales | Hyperoodon spp. | |
| | | Acerodon jubatus | |
| | | Pteropus insularis | |
| | <i>Pteropodidae</i> – Fruit bats, | Pteropus loochoensis | |
| | | Pteropus mariannus | |
| | | Pteropus molossinus | |
| Chiroptera | | Pteropus pelewensis | |
| | flying foxes | Pteropus pilosus | |
| | | Pteropus samoensis | |
| | | Pteropus tonganus | |
| | | Pteropus ualanus | |
| | | Pteropus yapensis | |
| Cingulata | Dasypodidae - Armadillos | Priodontes maximus | |
| | | Sminthopsis longicaudata | |
| Dasyuromorphia | <i>Dasyuridae -</i> Dunnarts | Sminthopsis psammophila | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|---|-------------------------------|---|
| | Marranadidaa Kangaraas | Lagorchestes hirsutus | |
| | <i>Macropodidae</i> – Kangaroos, wallabies | Lagostrophus fasciatus | |
| Disrotodentia | wallables | Onychogalea fraenata | |
| Diprotodontia | Potoroidae – Rat-kangaroos | <i>Bettongia</i> spp. | |
| | <i>Vombatidae</i> – Northern hairy- nosed wombat | Lasiorhinus krefftii | |
| | / an arida a Dablaita | Caprolagus hispidus | |
| Lagomorpha | <i>Leporidae –</i> Rabbits | Romerolagus diazi | |
| | Peramelidae – Barred | Perameles bougainville | |
| Peramelemorphia | bandicoots | | |
| | <i>Thylacomyidae</i> – Bilby | Macrotis lagotis | |
| | | Equus africanus | Excludes the domesticated form, which is referenced as <i>Equus</i> <i>asinus</i> and is not subject to the provisions of the Convention |
| Perissodactyla | <i>Equidae</i> – Horses, wild asses, | Equus grevyi | |
| i enssouactyla | zebras | Equus hemionus hemionus | |
| | | Equus hemionus khur | |
| | | Equus hemionus luteus | |
| | | Equus przewalskii | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------|--------------------------------------|-------------------------------|--|
| | <i>Rhinocerotidae</i> – Rhinoceroses | Rhinocerotidae spp. | Except the subspecies included in Appendix II |
| | <i>Tapiridae</i> – Tapirs | Tapiridae spp. | Except the species included in Appendix II |
| | | Manis crassicaudata | |
| | | Manis culionensis | |
| | | Manis gigantea | |
| Pholidota | Manidaa Dangaling | Manis javanica | |
| Pholidota | <i>Manidae –</i> Pangolins | Manis pentadactyla | |
| | | Manis temminckii | |
| | | Manis tetradactyla | |
| | | Manis tricuspis | |
| | | | |
| | | Alouatta palliata | |
| | | Alouatta pigra | |
| Duineates | <i>Atelidae</i> – Howler monkeys, | Ateles geoffroyi frontatus | |
| Primates | spider moneys | Ateles geoffroyi ornatus | |
| | | Brachyteles arachnoides | |
| | | Brachyteles hypoxanthus | |
| | | Oreonax flavicauda | |
| | | Callimico goeldii | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|---|-------------------------------|------------|
| | | Callithrix aurita | |
| | | Callithrix flaviceps | |
| | | Leontopithecus spp. | |
| | Cabidaa Marraaata | Saguinus bicolor | |
| | <i>Cebidae</i> – Marmosets, | Saguinus geoffroyi | |
| | tamarins, new-world monkeys | Saguinus leucopus | |
| | | Saguinus martinsi | |
| | | Saguinus oedipus | |
| | | Saimiri oerstedii | |
| | | Cercocebus galeritus | |
| | | Cercopithecus diana | |
| | | Cercopithecus roloway | |
| | | Macaca silenus | |
| | | Macaca sylvanus | |
| | <i>Cercopithecidae</i> – Old-world – monkeys – | Mandrillus leucophaeus | |
| | | Mandrillus sphinx | |
| | | Nasalis larvatus | |
| | | Piliocolobus kirkii | |
| | | Piliocolobus rufomitratus | |
| | | Presbytis potenziani | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--|-------------------------------|------------|
| | | <i>Pygathrix</i> spp. | |
| | | <i>Rhinopithecus</i> spp. | |
| | | Semnopithecus ajax | |
| | | Semnopithecus dussumieri | |
| | | Semnopithecus entellus | |
| | | Semnopithecus hector | |
| | | Semnopithecus hypoleucos | |
| | | Semnopithecus priam | |
| | | Semnopithecus schistaceus | |
| | | Simias concolor | |
| | | Trachypithecus geei | |
| | | Trachypithecus pileatus | |
| | | Trachypithecus shortridgei | |
| | <i>Cheirogaleidae</i> – Dwarf lemurs | Cheirogaleidae spp. | |
| | | Daubentonia | |
| | <i>Daubentoniidae –</i> Aye-aye | madagascariensis | |
| | | Gorilla beringei | |
| | <i>Hominidae</i> – Apes, chimpanzees, gorillas, orang- utans | Gorilla gorilla | |
| | | <i>Pan</i> spp. | |
| | | Pongo abelii | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------|--|--------------------------------------|---|
| | | Pongo tapanuliensis | |
| | | Pongo pygmaeus | |
| | <i>Hylobatidae</i> – Gibbons | Hylobatidae spp. | |
| | <i>Indriidae</i> – Indris, sifakas, woolly lemurs | Indriidae spp. | |
| | <i>Lemuridae –</i> Large lemurs | Lemuridae spp. | |
| | <i>Lepilemuridae</i> – Sportive lemurs | Lepilemuridae spp. | |
| | <i>Lorisidae</i> – Lorises | <i>Nycticebus</i> spp. | |
| | Rithaniidan Sakis yakaris | <i>Cacajao</i> spp. | |
| | <i>Pitheciidae –</i> Sakis, uakaris | Chiropotes albinasus | |
| | | Elephas maximus | |
| Proboscidea | <i>Elephantidae –</i> Elephants | Loxodonta africana | Except the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in Appendix II subject to annotation A10 |
| Rodentia | <i>Chinchillidae</i> – Chinchillas | <i>Chinchilla</i> spp. ^{A1} | |
| | <i>Dugongidae –</i> Dugong | Dugong dugon | |
| Sirenia | Trichachidae Manataca | Trichechus inunguis | |
| | <i>Trichechidae</i> – Manatees | Trichechus manatus | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|-------------------------------|------------|
| | | Trichechus senegalensis | |

Class—Aves (birds)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|---|-------------------------------|------------|
| | | Anas aucklandica | |
| | | Anas chlorotis | |
| | Anatidas Dualis social avera | Anas laysanensis | |
| Anseriformes | Anatidae – Ducks, geese, swans | Anas nesiotis | |
| | etc. | Asarcornis scutulata | |
| | | Branta sandvicensis | |
| | | Rhodonessa caryophyllacea | |
| Apodiformes | <i>Trochilidae</i> – Hummingbirds | Glaucis dohrnii | |
| | <i>Laridae</i> – Relict gull | Larus relictus | |
| Charadriiformes | | Numenius borealis | |
| Charadhiformes | <i>Scolopacidae</i> – Curlews, greenshanks | Numenius tenuirostris | |
| | | Tringa guttifer | |
| | | | |
| Ciconiiformes | | Ciconia boyciana | |
| | <i>Ciconiidae –</i> Storks | Jabiru mycteria | |
| | | Mycteria cinerea | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|----------------|-------------------------------------|-------------------------------|--|
| | <i>Threskiornithidae</i> – Ibises, | Geronticus eremita | |
| | spoonbills | Nipponia nippon | |
| Calurahifarmaa | Columbidae Douge riseane | Caloenas nicobarica | |
| Columbiformes | <i>Columbidae</i> – Doves, pigeons | Ducula mindorensis | |
| | | Aceros nipalensis | |
| C | | Buceros bicornis | |
| Coraciiformes | <i>Bucerotidae –</i> Hornbills | Rhinoplax vigil | |
| | | Rhyticeros subruficollis | |
| | | Aquila adalberti | |
| | | Aquila heliaca | |
| | | Chondrohierax wilsonii | |
| | <i>Accipitridae</i> – Hawks, eagles | Haliaeetus albicilla | |
| | | Harpia harpyja | |
| | | Pithecophaga jefferyi | |
| Falconiformes | <i>Cathartidae</i> – New-world | Gymnogyps californianus | |
| | vultures | Vultur gryphus | |
| | | Falco araeus | |
| | | Falco jugger | |
| | <i>Falconidae</i> – Falcons | | Only the population of Seychelles; all |
| | | Falco newtoni | other populations are included in |
| | | | Appendix II |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------|----------------------------------|-------------------------------|------------|
| | | | |
| | | Falco peregrinus | |
| | | Falco punctatus | |
| | | Falco rusticolus | |
| | | Crax blumenbachii | |
| | | Mitu mitu | |
| | <i>Cracidae</i> – Chachalacas, | Oreophasis derbianus | |
| | currassows, guans | Penelope albipennis | |
| | | Pipile jacutinga | |
| | | Pipile pipile | |
| | <i>Megapodiidae</i> – Maleo fowl | Macrocephalon maleo | |
| Galliformes | | Catreus wallichii | |
| Gaimormes | | Colinus virginianus ridgwayi | |
| | | Crossoptilon crossoptilon | |
| | <i>Phasianidae –</i> Grouse, | Crossoptilon mantchuricum | |
| | guineafowl, partridges, | Lophophorus impejanus | |
| | peafowl, pheasants, tragopans | Lophophorus Ihuysii | |
| | | Lophophorus sclateri | |
| | | Lophura edwardsi | |
| | | Lophura swinhoii | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|------------|----------------------------|-------------------------------|------------|
| | | Polyplectron napoleonis | |
| | | Rheinardia ocellata | |
| | | Syrmaticus ellioti | |
| | | Syrmaticus humiae | |
| | | Syrmaticus mikado | |
| | | Tetraogallus caspius | |
| | | Tetraogallus tibetanus | |
| | | Tragopan blythii | |
| | | Tragopan caboti | |
| | | Tragopan melanocephalus | |
| | | Antigone canadensis nesiotes | |
| | <i>Gruidae –</i> Cranes | Antigone canadensis pulla | |
| | | Antigone vipio | |
| | | Balearica pavonina | |
| Gruiformes | | Grus americana | |
| Grufformes | | Grus japonensis | |
| | | Grus monacha | |
| | | Grus nigricollis | |
| | | Leucogeranus leucogeranus | |
| | <i>Otididae –</i> Bustards | Ardeotis nigriceps | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|---------------|--|-------------------------------|------------|
| | | Chlamydotis macqueenii | |
| | | Chlamydotis undulata | |
| | | Houbaropsis bengalensis | |
| | Rallidae – Lord Howe rails | Hypotaenidia sylvestris | |
| | <i>Rhynochetidae</i> – Kagu | Rhynochetos jubatus | |
| | <i>Atrichornithidae</i> – Western scrub-bird | Atrichornis clamosus | |
| | <i>Cotingidae</i> – Cotingas | Cotinga maculata | |
| | | Xipholena atropurpurea | |
| | <i>Fringillidae</i> – Finches | Carduelis cucullata | |
| Passeriformes | <i>Hirundinidae -</i> White-eyed river martin | Pseudochelidon sirintarae | |
| | <i>Icteridae</i> – Saffron-cowled blackbird | Xanthopsar flavus | |
| | <i>Muscicapidae</i> – Old-world | Picathartes gymnocephalus | |
| | flycatchers | Picathartes oreas | |
| | Dittidaa Dittas | Pitta gurneyi | |
| | <i>Pittidae –</i> Pittas | Pitta kochi | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|------------------|---|-------------------------------|--|
| | <i>Pycnonotidae</i> – Straw-headed bulbul | Pycnonotus zeylanicus | <entry 12<br="" delayed="" effect="" into="">months, i.e. until 25 November 2023></entry> |
| | <i>Sturnidae</i> – Mynas | Leucopsar rothschildi | |
| | <i>Zosteropidae</i> – White-chested white-eye | Zosterops albogularis | |
| | <i>Fregatidae –</i> Christmas Frigatebirds | Fregata andrewsi | |
| Pelecaniformes | <i>Pelecanidae –</i> Dalmatian Pelican | Pelecanus crispus | |
| | <i>Sulidae</i> – Abbot's booby | Papasula abbotti | |
| Piciformes | <i>Picidae</i> – Tristram's woodpecker | Dryocopus javensis richardsi | |
| Podicipediformes | - <i>Podicipedidae</i> – Giant Grebe | Podilymbus gigas | |
| | | Cacatua goffiniana | |
| | | Cacatua haematuropygia | |
| Psittaciformes | <i>Cacatuidae -</i> Cockatoos | Cacatua moluccensis | |
| | | Cacatua sulphurea | |
| | | Probosciger aterrimus | |
| | <i>Loriidae –</i> Lories | Eos histrio | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|----------------------------|-------------------------------|------------|
| | | Vini ultramarina | |
| | | Amazona arausiaca | |
| | | Amazona auropalliata | |
| | | Amazona barbadensis | |
| | | Amazona brasiliensis | |
| | | Amazona finschi | |
| | | Amazona guildingii | |
| | | Amazona imperialis | |
| | | Amazona leucocephala | |
| | | Amazona oratrix | |
| | Psittacidae – Amazons, Ai | Amazona pretrei | |
| | macaws, parakeets, parrots | Amazona rhodocorytha | |
| | | Amazona tucumana | |
| | | Amazona versicolor | |
| | | Amazona vinacea | |
| | | Amazona viridigenalis | |
| | | Amazona vittata | |
| | | Anodorhynchus spp. | |
| | | Ara ambiguus | |
| | | Ara glaucogularis | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|-------------------------------|------------|
| | | Ara macao | |
| | | Ara militaris | |
| | | Ara rubrogenys | |
| | | Cyanopsitta spixii | |
| | | Cyanoramphus cookii | |
| | | Cyanoramphus forbesi | |
| | | Cyanoramphus | |
| | | novaezelandiae | |
| | | Cyanoramphus saisseti | |
| | | Cyclopsitta diophthalma | |
| | | coxeni | |
| | | Eunymphicus cornutus | |
| | | Guarouba guarouba | |
| | | Neophema chrysogaster | |
| | | Ognorhynchus icterotis | |
| | | Pezoporus flaviventris | |
| | | Pezoporus occidentalis | |
| | | Pezoporus wallicus | |
| | | Pionopsitta pileata | |
| | | Primolius couloni | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|------------------|----------------------------------|-------------------------------|--|
| | | Primolius maracana | |
| | | Psephotus chrysopterygius | |
| | | Psephotus dissimilis | |
| | | Psephotus pulcherrimus | |
| | | Psittacula echo | |
| | | Psittacus erithacus | |
| | | Pyrrhura cruentata | |
| | | Rhynchopsitta spp. | |
| | | Strigops habroptilus | |
| Rheiformes | <i>Rheidae –</i> Rheas | Pterocnemia pennata | Except the subspecies included in Appendix II |
| Sphenisciformes | <i>Spheniscidae</i> – Penguins | Spheniscus humboldti | |
| | | Heteroglaux blewitti | |
| | <i>Strigidae</i> – Owls | Mimizuku gurneyi | |
| Strigiformes | | Ninox natalis | |
| | <i>Tytonidae</i> – Barn owls | Tyto soumagnei | |
| Struthioniformes | <i>Struthionidae</i> – Ostriches | Struthio camelus | Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, |
| | Su dunionidae – Ostriches | | Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; no |



| Order | Family | Genus, species, or subspecies | Exceptions |
|---------------|---|-------------------------------|-------------------------------------|
| | | | other population is included in the |
| | | | Appendices |
| Tinamiformes | <i>Tinamidae</i> – Solitary tinamou | Tinamus solitarius | |
| Trogoniformes | <i>Trogonidae –</i> Magnificent quetzals | Pharomachrus mocinno | |

Class—Reptilia (reptiles)

| Order | Family | Genus, species, or subspecies | Exceptions |
|------------|------------------------------------|-------------------------------|---|
| | | Alligator sinensis | |
| | | Caiman crocodilus | |
| | | apaporiensis | |
| | <i>Alligatoridae –</i> Alligators, | | Except the population of Argentina |
| | caimans | Caiman latirostris | and Brazil ^{A11} , which is included in |
| | | | Appendix II |
| Crocodylia | | Melanosuchus niger | Except for the population of Brazil |
| , | | | and Ecuador ^{A12} , which is included in |
| | | | Appendix II, |
| | <i>Crocodylidae –</i> Crocodiles | Crocodylus acutus | Except the population of the |
| | | | Colombia (Integrated Management |
| | | | District of Mangroves of the Bay of |
| | | | Cispata, Tinajones, La Balsa and |
| | | | Surrounding Areas, Department of |



| | | Córdoba), Colombia, and the |
|-----|-----------------------|--|
| | | population of Cuba, which are |
| | | included in Appendix II; and the |
| | | population of Mexico ^{A13} , which is |
| | | included in Appendix II |
| Cro | ocodylus cataphractus | |
| Cro | ocodylus intermedius | |
| Crc | ocodylus mindorensis | |
| | | Except the population of Belize ^{A14} , |
| C | Crocodylus moreletii | and Mexico, which is included in |
| | | Appendix II |
| | | Except the populations of Botswana, |
| | | Egypt ^{A15} Ethiopia, Kenya, |
| | | Madagascar, Malawi, Mozambique, |
| C | Crocodylus niloticus | Namibia, South Africa, Uganda, the |
| | | United Republic of Tanzania ^{A16} |
| | | (Zambia and Zimbabwe, which are |
| | | included in Appendix II |
| C | Crocodylus palustris | |
| | | Except the populations of Australia, |
| | | Indonesia, Malaysia ^{A17} ,Papua New |
| | Crocodylus porosus | Guinea, and the Philliphines $ { m s}$ |
| | | [population of the Palawan |
| | | Islands] ^{A18} which are included in |
| | | Appendix II |



| | | Crocodylus rhombifer | |
|-----------------|--|------------------------|--|
| | | Crocodylus siamensis | |
| | | Osteolaemus tetraspis | |
| | | Tomistoma schlegelii | |
| | <i>Gavialidae –</i> Gavials | Gavialis gangeticus | |
| Rhynchocephalia | <i>Sphenodontidae</i> – Tuataras | <i>Sphenodon</i> spp. | |
| | | Ceratophora erdeleni | |
| | Amenaidae Caine tailed lineada | Ceratophora karu | |
| | Agamidae – Spiny-tailed lizards, – agamas | Ceratophora tennentii | |
| | | Cophotis ceylanica | |
| | | Cophotis dumbara | |
| | | Abronia anzuetoi | |
| Courie | | Abronia campbelli | |
| Sauria | | Abronia fimbriata | |
| | | Abronia frosti | |
| | | Abronia meledona | |
| | Chamaeleonidae – Chameleons | Brookesia perarmata | |
| | | Cnemaspis psychedelica | |
| | <i>Gekkonidae –</i> Geckos | Gonatodes daudini | |
| | | Lygodactylus williamsi | |



| | <i>Helodermatidae</i> – Beaded | Heloderma horridum | |
|-----------|--|------------------------------|--|
| | lizards, Gila monsters | charlesbogerti | |
| | | <i>Brachylophus</i> spp. | |
| | <i>Iguanidae –</i> Iguanas | <i>Cyclura</i> spp. | |
| | | Sauromalus varius | |
| | <i>Lacertidae</i> – Lizards | Gallotia simonyi | |
| | <i>Scincidae</i> – Solomon Islands giant skink | Tiliqua adelaidensis | |
| | | Varanus bengalensis | |
| | | Varanus flavenscens | |
| | <i>Varanidae –</i> Monitor lizards | Varanus griseus | |
| | | Varanus komodoensis | |
| | | Varanus nebulosus | |
| | <i>Xenosauridae –</i> Chinese crocodile lizards | Shinisaurus crocodilurus | |
| | | Acrantophis spp. | |
| | <i>Boidae –</i> Boas | Boa constrictor occidentalis | |
| Sarpantas | | Chilabothrus monesis | |
| Serpentes | | Chilabothrus subflavus | |
| | | Sanzinia madagascariensis | |
| | Bolyeriidae – Round Island boas | Bolyeria multocarinata | |



| | | Casarea dussumieri | |
|------------|---|------------------------|---|
| | <i>Pythonidae</i> – Pythons | Python molurus | |
| | <i>Viperidae –</i> Vipers | Vipera ursinii | Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Appendices |
| | <i>Chelidae</i> – Roti snake-necked turtle, Western swamp tortoise | Pseudemydura umbrina | |
| | <i>Cheloniidae</i> – Sea turtles | Cheloniidae spp. | |
| | <i>Dermochelyidae –</i> Leatherback turtles | Dermochelys coriacea | |
| | <i>Emydidae</i> – Box turtles, | Glyptemys muhlenbergii | |
| Testudines | freshwater turtles | Terrapene coahuila | |
| | | Batagur affinis | |
| | | Batagur baska | |
| | <i>Geoemydidae</i> – Box turtles, | Batagur kachuga | |
| | freshwater turtles | Cuora bourreti | |
| | | Cuora galbinfrons | |
| | | Cuora picturata | |



| Geoclemys hamiltonii | |
|---------------------------|---|
| Mauremys annamensis | |
| Melanochelys tricarinata | |
| Morenia ocellata | |
| Pangshura tecta | |
| Kinosteron cora | |
| Kinosternon vogti | |
| Distructormidae com | |
| Platysternidae spp. | |
| Astrochelys radiata | |
| Astrochelys yniphora | |
| Chelonoidis niger | |
| Geochelone elegans | |
| Geochelone platynota | |
| Gopherus flavomarginatus | |
| Malacochersus tornieri | |
| Psammobates geometricus | |
| Pyxis arachnoides | |
| Pyxis planicauda | |
| Testudo kleinmanni | |
| es Apalone spinifera atra | |
| | Mauremys annamensis Melanochelys tricarinata Morenia ocellata Pangshura tecta Rinosteron cora Kinosternon vogti Platysternidae spp. Astrochelys radiata Astrochelys radiata Astrochelys radiata Geochelone elegans Geochelone platynota Gopherus flavomarginatus Malacochersus tornieri Psammobates geometricus Pyxis arachnoides Pyxis planicauda Testudo kleinmanni |



| | Chitra chitra |
|--|---------------------|
| | Chitra vandijki |
| | Nilssonia gangetica |
| | Nilssonia hurum |
| | Nilssonia leithii |
| | Nilssonia nigricans |

Class—Amphibia (amphibians)

| Order | Family | Genus, species, or subspecies | Exceptions |
|---------|---------------------------------------|-------------------------------|------------|
| | | Altiphrynoides spp. | |
| | | Atelophus zeteki | |
| | | Incilius periglenes | |
| | <i>Bufonidae</i> – Toads | Nectophrynoides spp. | |
| Anura | | <i>Nimbaphrynoides</i> spp. | |
| | | Sclerophrys channingi | |
| | | Sclerophrys superciliaris | |
| | <i>Telmatobiidae –</i> Titicaca water | Telmatobius culeus | |
| | frogs | | |
| Caudata | <i>Cryptobranchidae</i> – Giant | Andrias spp. | |
| | salamanders | | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--|-------------------------------|------------|
| | <i>Salamandridae</i> – Newts and salamanders | Neurergus kaiseri | |

Class—Actinopteri (fishes)

| Order | Family | Genus, species, or subspecies | Exceptions |
|----------------------|------------------------------------|-------------------------------|------------|
| Acipenseriformes | A sin an anida a Struma and | Acipenser brevirostrum | |
| Acipensemormes | <i>Acipenseridae</i> – Sturgeons | Acipenser sturio | |
| Cupriniformer | <i>Catostomidae</i> – Cui-ui | Chasmistes cujus | |
| Cypriniformes | <i>Cyprinidae</i> – Carps | Probarbus jullieni | |
| Osto selo seifo meso | nes Osteoglossidae – Bonytongue – | Scleropages formosus | |
| Osteoglossiformes | | Scleropages inscriptus | |
| Perciformes | <i>Sciaenidae -</i> Totoaba | Totoaba macdonaldi | |
| Siluriformes | <i>Pangasiidae</i> – Giant catfish | Pangasianodon gigas | |

Class—Coelacanthi (coelacanths)



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------------|-----------------------------------|-------------------------------|------------|
| Coelacanthiformes | <i>Latimeriidae</i> – Coelacanths | <i>Latimeria</i> spp. | |

Class—Insecta (insects)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|---|-------------------------------|------------|
| | | Achillides chikae chikae | |
| | <i>Papilionidae</i> – Birdwing | Achillides chikae hermeli | |
| | butterflies, swallowtail butterflies | Ornithoptera alexandrae | |
| | | Papilio homerus | |
| | | Parides burchellanus | |

Phylum—Mollusca

Class—Bivalvia (clams and mussels)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------|-------------------------------|-------------------------------|------------|
| Unionoida | | Conradilla caelata | |
| | <i>Unionidae –</i> Freshwater | Dromus dromas | |
| | mussels, pearly mussels | Epioblasma curtisi | |
| | | Epioblasma florentina | |
| | | Epioblasma sampsonii | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|---------------------------------|------------|
| | | Epioblasma sulcata perobliqua | |
| | | Epioblasma torulosa | |
| | | gubernaculum | |
| | | Epioblasma torulosa torulosa | |
| | | Epioblasma turgidula | |
| | | Epioblasma walkeri | |
| | | Fusconaia cuneolus | |
| | | Fusconaia edgariana | |
| | | Lampsilis higginsii | |
| | | Lampsilis orbiculata orbiculata | |
| | | Lampsilis satur | |
| | | Lampsilis virescens | |
| | | Plethobasus cicatricosus | |
| | | Plethobasus cooperianus | |
| | | Pleurobema plenum | |
| | | Potamilus capax | |
| | | Quadrula intermedia | |
| | | Quadrula sparsa | |
| | | Toxolasma cylindrella | |
| | | Unio nickliniana | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|-------------------------------|------------|
| | | Unio tampicoensis | |
| | | tecomatensis | |
| | | Villosa trabalis | |

Class—Gastropoda (snails and conches)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|---|-------------------------------|------------|
| | | | |
| Stylommatophora | <i>Achatinellidae</i> – Agate snails, oahu tree snails | Achatinella spp. | |
| | <i>Cepolidae</i> – Helicoid terrestrial snails | <i>Polymita</i> spp. | |



Part II

<u>FLORA (plants)</u>

| Family | Genus, species, or subspecies | Exceptions |
|---|---|------------|
| <i>Agavaceae</i> – Agaves, bear-grass | Agave parviflora | |
| | Pachypodium ambongense | |
| | Pachypodium baronii | |
| <i>Apocynaceae</i> – Elephant trunks, hoodias | Pachypodium decaryi | |
| | Pachypodium windsorii | |
| Araucariaceae – Monkey-puzzle | Araucaria araucana | |
| | Ariocarpus spp. | |
| | Astrophytum asterias | |
| | Aztekium ritteri | |
| | Coryphantha werdermannii | |
| <i>Cactaceae</i> – Cacti | <i>Discocactus</i> spp. | |
| | Echinocereus ferreiranus ssp. lindsayorum | |
| | Echinocereus schmollii | |
| | Escobaria minima | |
| | Escobaria sneedii | |



| Family | Genus, species, or subspecies | Exceptions |
|--------|--|------------|
| | Mammillaria pectinifera includes ssp. | |
| | solisioides | |
| | Melocactus conoideus | |
| | Melocactus deinacanthus | |
| | Melocactus glaucescens | |
| | Melocactus paucispinus | |
| | Obregonia denegrii | |
| | Pachycereus militaris | |
| | Pediocactus bradyi | |
| | Pediocactus knowltonii | |
| | Pediocactus paradinei | |
| | Pediocactus peeblesianus | |
| | Pediocactus sileri | |
| | Pelecyphora spp. | |
| | Sclerocactus blainei | |
| | Sclerocactus brevihamatus ssp. tobuschii | |
| | Sclerocactus brevispinus | |
| | Sclerocactus cloverae | |
| | Sclerocactus erectocentrus | |
| | Sclerocactus glaucus | |



| Family | Genus, species, or subspecies | Exceptions |
|---------------------------------------|---|------------|
| | Sclerocactus mariposensis | |
| | Sclerocactus mesae-verdae | |
| | Sclerocactus nyensis | |
| | Sclerocactus papyracanthus | |
| | Sclerocactus pubispinus | |
| | Sclerocactus sileri | |
| | Sclerocactus wetlandicus | |
| | Sclerocactus wrightiae | |
| | Strombocactus spp. | |
| | <i>Turbinicarpus</i> spp. | |
| | <i>Uebelmannia</i> spp. | |
| <i>Compositae</i> – (Asteraceae) Kuth | Saussurea costus | |
| | Fitzroya cupressoides | |
| <i>Cupressaceae –</i> , Cypresses | Pilgerodendron uviferum | |
| <i>Cycadaceae</i> – Cycads | Cycas beddomei | |
| | Euphorbia ambovombensis | |
| | Euphorbia capsaintemariensis | |
| <i>Euphorbiaceae</i> – Spurges | Euphorbia cremersii includes the forma | |
| | viridifolia and the variety rakotozafyi | |



| Family | Genus, species, or subspecies | Exceptions |
|--|---|------------|
| | Euphorbia cylindrifolia includes the ssp. | |
| | tuberifera | |
| | Euphorbia decaryi includes the vars. | |
| | ampanihyensis, robinsonii and spirosticha | |
| | Euphorbia francoisii | |
| | <i>Euphorbia moratii Includes</i> the | |
| | vars. <i>antsingiensis,</i> | |
| | bemarahensis and multiflora | |
| | Euphorbia parvicyathophora | |
| | Euphorbia quartziticola | |
| | Euphorbia tulearensis | |
| <i>Fouquieriaceae</i> – Ocotillos | Fouquieria fasciculata | |
| | Fouquieria purpusii | |
| <i>Leguminosae</i> – (Fabaceae) Afrormosia, cristobal, palisander, rosewood, sandalwood | Dalbergia nigra | |
| | Aloe albida | |
| | Aloe albiflora | |
| <i>Liliaceae</i> – Aloes | Aloe alfredii | |
| | Aloe bakeri | |
| | Aloe bellatula | |



| Family | Genus, species, or subspecies | Exceptions |
|---|---|------------|
| | Aloe calcairophila | |
| | Aloe compressa includes the | |
| | vars. paucituberculata, | |
| | rugosquamosa and schistophila | |
| | Aloe delphinensis | |
| | Aloe descoingsii | |
| | Aloe fragilis | |
| | Aloe haworthioides includes the | |
| | var. <i>aurantiaca</i> | |
| | Aloe helenae | |
| | Aloe laeta includes the var. maniaensis | |
| | Aloe parallelifolia | |
| | Aloe parvula | |
| | Aloe pillansii | |
| | Aloe polyphylla | |
| | Aloe rauhii | |
| | Aloe suzannae | |
| | Aloe versicolor | |
| | Aloe vossii | |
| Nepenthaceae – Pitcher-plants (Old World) | Nepenthes khasiana | |



| Family | Genus, species, or subspecies | Exceptions |
|--|---|------------|
| | Nepenthes rajah | |
| | Aerangis ellisii ^{P4} | |
| | Cattleya jongheana ^{P4} | |
| | Cattleya lobata ^{P4} | |
| | Dendrobium cruentum ^{P4} | |
| <i>Orchidaceae</i> – Orchids | Mexipedium xerophyticum ^{P4} | |
| | Paphiopedilum spp. ^{P4} | |
| | Peristeria elata ^{P4} | |
| | Phragmipedium spp. ^{P4} | |
| | Renanthera imschootiana ^{P4} | |
| Palmae – (Arecaceae) Palms | Dypsis decipiens | |
| Pinaceae – Firs and pines | Abies guatemalensis | |
| <i>Podocarpaceae</i> – Podocarps | Podocarpus parlatorei | |
| <i>Rubiaceae</i> – Ayugue | Balmea stormiae | |
| | Sarracenia oreophila | |
| <i>Sarraceniaceae</i> – Pitcher-plants (New World) | Sarracenia rubra ssp. alabamensis | |
| | <i>Sarracenis rubra</i> ssp. <i>jonesii</i> | |
| <i>Stangeriaceae</i> – Stangerias | Stangeria eriopus | |
| Zamiacana Cucado | <i>Ceratozamia</i> spp. | |
| <i>Zamiaceae</i> – Cycads | Encephalartos spp. | |



| Family | Genus, species, or subspecies | Exceptions |
|--------|-------------------------------|------------|
| | Microcycas calocoma | |
| | Zamia restrepoi | |

Interpretation

- 1. Species included in this Appendix are referred to:
 - a) By the name of the species; or
 - b) As being all of the species included in a higher taxon or designated part thereof.
- 2. The abbreviation "spp." is used to denote all species of a higher taxon.
- 3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in the Appendices. In most cases this is not all of the species within the family.
- 4. The following abbreviations are used for plant taxa below the level of species:
 - a) "ssp." is used to denote subspecies; and
 - b) "var(s)." is used to denote variety (varieties).
- 5. As none of the species or higher taxa of FLORA included in this Appendix is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.

ر در د مح تر حو تو



دِ عَدْوَمُودَدُ دِنْسَ مَرْمَرُودَدُوْدَ وِرَدَيْرَ سَمَعَهُمْ سَرِمِورُودَ سَرَمَوْدُو يَرْسَمُودَد وَرَسَمَ مَنْ مَرْدَرُودَ سَرَمَوْدُودَ وَمَرْمَعُ سَرَمُودُودَ وَمَرْمَعُ مَرْمُودُ وَمَرْمَعُ وَمَرْدَعُ مَرْمُونُ وَمَرْمَعُ مَرْمُودُ وَمَرْمَعُ مَرْمُورُودُ وَمَرْمَعُ مَرْمُودُ وَمَرْمَعُ وَمَرْمَعُ وَمَرْمُ مُرْمُورُودُ وَمَرْمُونُ وَمَرْمَعُ وَمَرْمُ مُرْمُورُودُ وَمُرْمُونُ وَمَرْمُ مُرْمُورُودُ وَمُرْمُونُ وَمَرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُورُودُ وَمَرْمُ مُرْمُ مُرْمُورُودُ وَمُرْمُونُ وَمَرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُ مُرْمُورُ وَمُومُ مُرْمُ وَمُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُ مُرْمُورُ وَمُومُ مُودُ وَمُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُورُودُ وَمُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُورُ وَمُومُ مُرْمُ وَمُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ وَمُرْمُ مُرْمُ مُرْمُ وَمُرْمُ وَمُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ وَمُرْمُ مُ مُرْمُ مُرْمُ وَمُرْمُ وَمُرْمُ مُرْمُ مُرْمُ مُرْدُورُهُ وَمُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ وَمُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ م مُومُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُرْمُ مُ مُرْمُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُ مُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُ مُرْمُ مُ مُ مُرْمُ مُ مُرْمُ مُ مُ مُ مُرْمُ مُ مُرْمُ مُ مُ مُر

CITES APPENDIX II

Part I

FAUNA (animals)

Phylum—Chordata

Class—Mammalia (mammals)

| Order | Family | Species | Exceptions |
|--------------|-------------------------------------|---------------------|------------|
| | <i>Bovidae</i> – Antelopes, cattle, | Ammotragus lervia | |
| Artiodactyla | | Budorcas taxicolor | |
| Artiodactyla | duikers, gazelles, goats, sheep, | Capra caucasica | |
| | etc. | Cephalophus brookei | |



| Order | Family | Species | Exceptions |
|-------|--------|-------------------------|--|
| | | Cephalophus dorsalis | |
| | | Cephalophus ogilbyi | |
| | | Cephalophus silvicultor | |
| | | Cephalophus zebra | |
| | | Damaliscus pygargus | |
| | | pygargus | |
| | | Kobus leche | |
| | | Ovis ammon | |
| | | Ovis arabica | |
| | | Ovis bochariensis | |
| | | Ovis canadensis | Only the population of Mexico; no other population is included in the Appendices |
| | | Ovis collium | |
| | | Ovis cycloceros | |
| | | Ovis darwini | |
| | | Ovis jubata | |
| | | Ovis karelini | |
| | | Ovis polii | |
| | | Ovis punjabiensis | |
| | | Ovis severtzovi | |



| Order | Family | Species | Exceptions |
|-------|---|------------------------------|--|
| | | Philantomba maxwelli | |
| | | Philantomba monticola | |
| | | Rupicapra pyrenaica ornata | |
| | | | (A zero-export quota for wild |
| | | Saiga borealis ⁴² | specimens traded for commercial |
| | | | purposes |
| | | | A zero-export quota for wild |
| | | Saiga tatarica ^{A2} | specimens traded for commercial |
| | | | purposes |
| | | Lama guanicoe | |
| | <i>Camelidae –</i> Guanacos, vicunas | Vicugna vicugna* | Only the populations of Argentina [the populations of the Provinces of Catamarca, Jujuy and Salta, and the semi-captive populations of the Provinces of Catamarca, Jujuy, La Rioja, Salta and San Juan], Chile [populations of the region of Arica and Parinacota and and of the region Tarapacá], Ecuador, Peru and the Plurinational State of Bolivia; all other populations are included in Appendix I |
| | | Cervus elaphus bactrianus | |



| Order | Family | Species | Exceptions |
|-----------|---|--------------------------|--|
| | <i>Cervidae –</i> Deer, huemuls, muntjacs, pudus | Pudu mephistophiles | |
| | <i>Giraffidae</i> – Giraffes | Giraffa camelopardalis | |
| | Hippopotamidae – | Hexaprotodon liberiensis | |
| | Hippopotamuses | Hippopotamus amphibius | |
| | <i>Moschidae –</i> Musk deer | <i>Moschus</i> spp. | Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Appendix I |
| | <i>Tayassuidae -</i> Peccaries | Tayassuidae spp. | Except the species included in Appendix I and the populations of <i>Pecari tajacu</i> of Mexico and the United States of America, which are not included in the Appendices |
| Carnivora | <i>Canidae</i> – Dogs, foxes, wolves | Canis lupus | Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Appendix I. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus</i> <i>familiaris</i> and <i>Canis lupus dingo</i> , respectively, which are not subject to the provisions of the Convention |
| | | Cerdocyon thous | |



| Order | Family | Species | Exceptions |
|-------|--|--------------------------------|---|
| | | Chrysocyon brachyurus | |
| | | Cuon alpinus | |
| | | Lycalopex culpaeus | |
| | | Lycalopex fulvipes | |
| | | Lycalopex griseus | |
| | | Lycalopex gymnocercus | |
| | | Vulpes cana | |
| | | Vulpes zerda | |
| | | Cryptoprocta ferox | |
| | <i>Eupleridae</i> – Fossa, falanouc, | Eupleres goudotii | |
| | Malagasy civets | Fossa fossana | |
| | <i>Felidae</i> – Cats | Felidae spp. ^{A1, A4} | Except the species included in Appendix I. |
| | <i>Mephitidae</i> – Skunks | Conepatus humboldtii | |
| | <i>Mustelidae</i> – Badgers, martens, otters, weasets, etc; <i>Lutrinae</i> – Otters | Lutrinae spp. | Except the species included in Appendix I |
| | <i>Otariidae</i> – Fur seals, sealions | Arctocephalus spp. | Except the species included in Appendix I |
| | Phocidae – Seals | Mirounga leonina | |



| Order | Family | Species | Exceptions |
|-----------------|---|--------------------------------------|---|
| | <i>Ursidae</i> – Bears, giant pandas | Ursidae spp. | Except the species included in Appendix I |
| | <i>Viverridae</i> – Binturong, civets, | Cynogale bennettii | |
| | linsangs, otter-civet, palm | Hemigalus derbyanus | |
| | civets | Prionodon linsang | |
| Cetacea | <i>Cetacea</i> – Dolphins, porpoises, whales | CETACEA spp. ^{A6} | Except for the species included in Appendix I. |
| | | Acerodon spp. | Except the species included in Appendix I |
| Chiroptera | <i>Pteropodidae</i> – Fruit bats, flying foxes | <i>Pteropus</i> spp. | Except the species included in Appendix I and <i>Pteropus brunneus</i> which is not included in the Appendices |
| Cingulata | Dasypodidae – Armadillos | Chaetophractus nationi ^{A2} | |
| | <i>Macropodidae</i> – Kangaroos, | Dendrolagus inustus | |
| | wallabies | Dendrolagus ursinus | |
| | | Phalanger intercastellanus | |
| Diseste de stis | | Phalanger mimicus | |
| Diprotodontia | Phalana aridaa Guanuaa | Phalanger orientalis | |
| | Phalangeridae – Cuscuses | Spilocuscus kraemeri | |
| | | Spilocuscus maculatus | |
| | | Spilocuscus papuensis | |



| Order | Family | Species | Exceptions |
|----------------|--|-----------------------------------|--|
| Monotremata | <i>Tachyglossidae</i> – Echidnas | Zaglossus spp. | |
| | | Equus hemionus | Except the subspecies included in Appendix I |
| | <i>Equidae</i> – Horses, wild asses, | Equus kiang | |
| | zebras | Equus zebra hartmannae | |
| Perissodactyla | | Equus zebra zebra | |
| | <i>Rhinocerotidae –</i> Rhinoceroses | Ceratotherium simum simum | Only the populations of Eswatini ^{A8} , Nambia ^{A9} , and South Africa ^{A8} ; all other populations are included in Appendix I |
| | <i>Tapiridae</i> – Tapirs | Tapirus terrestris | |
| Pholidota | <i>Manidae –</i> Pangolins | <i>Manis</i> spp. | Except the species included in Appendix I |
| | Bradypodidae – Three-toed | Bradypus pygmaeus | |
| Pilosa | sloths | Bradypus variegatus | |
| PliOsa | <i>Myrmecophagidae</i> – Giant anteater, Tamandua | Myrmecophaga tridactyla | |
| Primates | <i>Primates –</i> Apes, monkeys | <i>Primates</i> spp. | Except the species included in Appendix I |
| Proboscidea | <i>Elephantidae –</i> Elephants | Loxodonta africana ^{A10} | Only the populations of Botswana, Namibia, South Africa and Zimbabwe; all other populations are included in Appendix I |



| Order | Family | Species | Exceptions |
|--------------|--------------------------------------|------------------------|------------|
| | <i>Muridae –</i> Mice, rats | Leporillus conditor | |
| | | Pseudomys fieldi | |
| Rodentia | | Xeromys myoides | |
| Rodentia | | Zyzomys pedunculatus | |
| | <i>Sciuridae</i> – Ground squirrels, | Cynomys mexicanus | |
| tree squirre | tree squirrels | <i>Ratufa</i> spp. | |
| Scandentia | <i>Scandentia</i> – Tree shrews | <i>Scandentia</i> spp. | |

Class—Aves (birds)

| Order | Family | Genus, species, or subspecies | Exceptions |
|--------------|--|-------------------------------|------------|
| | <i>Anatidae –</i> Ducks, geese, swans, etc. | Anas bernieri | |
| | | Anas formosa | |
| | | Branta canadensis | |
| | | leucopareia | |
| Anseriformes | | Branta ruficollis | |
| | | Coscoroba coscoroba | |
| | | Cygnus melancoryphus | |
| | | Dendrocygna arborea | |
| | | Oxyura leucocephala | |



| | | Sarkidiornis melanotos | |
|---------------|--|--------------------------|--|
| Apodiformes | <i>Trochilidae</i> – Hummingbirds | Trochilidae spp. | Except the species included in Appendix I |
| | Balaenicipitidae – Shoebills | Balaeniceps rex | |
| | <i>Ciconiidae –</i> Storks | Ciconia nigra | |
| Ciconiiformes | <i>Phoenicopteridae –</i> Flamingos | Phoenicopteridae spp. | |
| | <i>Threskiornithidae</i> – Ibises, | Eudocimus ruber | |
| | , | Geronticus calvus | |
| | spoonbills | Platalea leucorodia | |
| Columbiformes | <i>Columbidae</i> – Doves, | Gallicolumba luzonica | |
| Columbilormes | pigeons | <i>Goura</i> spp. | |
| | | Aceros spp. | Except the species included in Appendix I |
| | | Anorrhinus spp. | |
| | | Anthracoceros spp. | |
| Coraciiformes | <i>Bucerotidae –</i> Hornbills | <i>Berenicornis</i> spp. | |
| | | Buceros spp. | Except the species included in Appendix I |
| | | Penelopides spp. | |
| | | <i>Rhyticeros</i> spp. | Except the species included in Appendix I |



| Cuculiformes | <i>Musophagidae</i> – Turacos | <i>Tauraco</i> spp. | |
|---------------|--|------------------------------|---|
| Falconiformes | <i>Falconiformes –</i> Eagles, falcons, hawks, vultures | <i>Falconiformes</i> spp. | Except the species included in the Appendices I and III and <i>Caracara</i> <i>lutosa, Cathartes aura, Carthartes</i> <i>burrovianus, Carthartes</i> <i>melambrotus and Coragyps</i> <i>aratus</i> , which are not included in the Appendices |
| | | Argusianus argus | |
| | | Gallus sonneratii | |
| | <i>Phasianidae</i> – Grouse, guineafowl, partridges, peafowl, pheasants, | Ithaginis cruentus | |
| | | Pavo muticus | |
| | | Polyplectron bicalcaratum | |
| Galliformes | | Polyplectron germaini | |
| | | Polyplectron malacense | |
| | tragopans | Polyplectron schleiermacheri | |
| | | Syrmaticus reevesii | |
| | | Tympanuchus cupido | |
| | | attwateri | |
| Gruiformes | <i>Gruidae –</i> Cranes | Gruidae spp. | Except the species included in Appendix I |
| | <i>Otididae –</i> Bustards | Otididae spp. | Except the species included in Appendix I |



| | <i>Cotingidae</i> – Cotingas | <i>Rupicola</i> spp. | |
|---------------|--|--------------------------------|--|
| | | Gubernatrix cristata | |
| | <i>Emberizidae</i> – Cardinals, | Paroaria capitata | |
| | tanagers | Paroaria coronata | |
| | | Tangara fastuosa | |
| | Estrildidae Magnilina | Amandava formosa | |
| | <i>Estrildidae</i> – Mannikins, waxbills | Lonchura oryzivora | |
| | WaxDills | Poephila cincta cincta | |
| | <i>Fringillidae</i> – Finches | Carduelis yarrellii | |
| Passeriformes | <i>Meliphagidae</i> – Helmeted | Lichenostomus melanops | |
| Passemonnes | Honeyeaters | cassidix | |
| | | Copsychus malabaricus | |
| | | Cyornis ruckii | |
| | | Dasyornis broadbenti litoralis | |
| | Muccicanidaa Old world | Dasyornis longirostris | |
| | <i>Muscicapidae</i> – Old-world flycatchers | Garrulax canorus | |
| | nycatchers | Garrulax taewanus | |
| | | Leiothrix argentauris | |
| | | Leiothrix lutea | |
| | | Liocichla omeiensis | |



| | <i>Paradisaeidae</i> – Birds of paradise | Paradisaeidae spp. | |
|-------------------|--|-----------------------|--|
| | <i>Pittidae –</i> Pittas | Pitta guajana | |
| | Pillidde – Pillas | Pitta nympha | |
| | <i>Pycnonotidae</i> – Straw - headed bulbul | Pycnonotus zeylanicus | To be deleted on 25 November 2023 |
| | <i>Sturnidae –</i> Mynas | Gracula religiosa | |
| | | Pteroglossus aracari | |
| | <i>Ramphastidae</i> – Toucans | Pteroglossus viridis | |
| Piciformes | | Ramphastos sulfuratus | |
| Piciformes | | Ramphastos toco | |
| | | Ramphastos tucanus | |
| | | Ramphastos vitellinus | |
| Procellariiformes | <i>Diomedeidae</i> – Short-tailed albatross | Phoebastria albatrus | |
| Psittaciformes | Psittaciformes | Psittaciformes spp. | Except the species included in Appendix I and Agapornis roseicollis, Melopsittacus undulatus, Nymphicus hollandicus and Psittacula krameri which are not included in the Appendices |



| | | Pterocnemia pennata | |
|-----------------|--------------------------------|--------------------------|--|
| Rheiformes | <i>Rheidae –</i> Rheas | pennata | |
| | | Rhea americana | |
| Sphenisciformes | <i>Spheniscidae</i> – Penguins | Spheniscus demersus | |
| Strigiformes | <i>Strigiformes</i> – Owls | <i>Strigiformes</i> spp. | Except the species included in the Appendix I and <i>Sceloglaux</i> <i>albifacies which are not included</i> <i>in the Appendices</i> |

Class—Reptilia (reptiles)

| Order | Family | Genus, species, or subspecies | Exceptions |
|---------------------|--|---|---|
| Crocodylia | <i>Crocodylia</i> – Alligators, caimans, crocodiles | <i>Crocodylia</i> spp. | Except the species included in Appendix I |
| | | Ceratophora aspera ^{A19} | |
| | <i>Agamidae –</i> Spiny-tailed lizards, agamas | Ceratophora stoddartii ^{A19} | |
| | | <i>Lyriocephalus scutatus⁴¹⁹</i> | |
| Sauria | | Physignathus cocincinus | |
| | | <i>Saara</i> spp. | |
| Anguidae – Alligato | | Uromastyx spp. | |
| | <i>Anguidae</i> – Alligator lizards | Abronia spp. ^{A20} | Except the species included in Appendix I. |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|---|-------------------------------|--|
| | | Archaius spp. | |
| | | Bradypodion spp. | |
| | | <i>Brookesia</i> spp. | Except the species included in Appendix I |
| | | <i>Calumma</i> spp. | |
| | | <i>Chamaeleo</i> spp. | |
| | Chamaeleonidae – | <i>Furcifer</i> spp. | |
| | Chameleons | Kinyongia spp. | |
| | | Nadzikambia spp. | |
| | | Palleon spp. | |
| | | Rhampholeon spp. | |
| | | Rieppeleon spp. | |
| | | <i>Trioceros</i> spp. | |
| | | Cordylus spp. | |
| | | Hemicordylus spp. | |
| | <i>Cordylidae –</i> Spiny-tailed lizards | <i>Karusaurus</i> spp. | |
| | | Namazonurus spp. | |
| | | <i>Ninurta</i> spp. | |
| | | <i>Ouroborus</i> spp. | |
| | | Pseudocordylus spp. | |
| | | <i>Smaug</i> spp. | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--|-------------------------------|--|
| | <i>Eublepharidae –</i> Eyelid geckos | <i>Goniurosaurus</i> spp. | Except the species native to Japan |
| | | Crytodactylus jeyporensis | |
| | | Gekko gecko | |
| | | Nactus serpensinsula | |
| | | <i>Naultinus</i> spp. | |
| | Californidae Cashaa | Paroedura androyensis | |
| | <i>Gekkonidae –</i> Geckos | Paroedura masobe | |
| | | <i>Phelsuma</i> spp. | |
| | | <i>Rhoptropella</i> spp. | |
| | | Tarentola chazaliae | |
| | | <i>Uroplatus</i> spp. | |
| | <i>Helodermatidae –</i> Beaded lizards, Gila monsters | <i>Heloderma</i> spp. | Except the subspecies included in Appendix I |
| | | Amblyrhynchus cristatus | |
| | Inveniden Invene | <i>Conolophus</i> spp. | |
| | <i>Iguanidae –</i> Iguanas | Ctenosaura spp. | |
| | | <i>Iguana</i> spp. | |
| | <i>Lacertidae –</i> Lizards | Podarcis lilfordi | |
| | | Podarcis pityusensis | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------|--|-------------------------------|--|
| | <i>Lanthanotidae</i> – Earless monitor lizards | Lanthanotidae spp. | Zero-export quota for wild specimens for commercial purposes |
| | <i>Phrynosomatidae</i> - Horned lizards | <i>Phrynosoma</i> spp. | |
| | <i>Scincidae</i> – Solomon islands ginat skink | Corucia zebrata | |
| | | Crocodilurus amazonicus | |
| | <i>Teiidae</i> – Caiman lizards, | <i>Dracaena</i> spp. | |
| | tegu lizards | <i>Salvator</i> spp. | |
| | | <i>Tupinambis</i> spp. | |
| | <i>Varanidae</i> – Monitor lizards | <i>Varanus</i> spp. | Except the species included in Appendix I |
| | <i>Boidae –</i> Boas | Boidae spp. | Except the species included in Appendix I |
| | <i>Bolyeriidae –</i> Round Island boas Serpentes | Bolyeriidae spp. | Except the species included in Appendix I |
| Serpentes | | Clelia clelia | |
| · | <i>Colubridae</i> – Typical snakes, | Cyclagras gigas | |
| | water snakes, whipsnakes | Elachistodon westermanni | |
| | | Ptyas mucosus | |
| | | Hoplocephalus bungaroides | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--|-------------------------------|--|
| | | Naja atra | |
| | | Naja kaouthia | |
| | | Naja mandalayensis | |
| | | Naja naja | |
| | | Naja oxiana | |
| | <i>Elapidae –</i> Cobras, coral | Naja philippinensis | |
| | snakes | Naja sagittifera | |
| | | Naja samarensis | |
| | | Naja siamensis | |
| | | Naja sputatrix | |
| | | Naja sumatrana | |
| | | Ophiophagus hannah | |
| | <i>Loxocemidae</i> – Mexican dwarf boas | Loxocemidae spp. | |
| | <i>Pythonidae</i> – Pythons | Pythonidae spp. | Except the species included in Appendix I |
| | <i>Tropidophiidae</i> – Wood boas | Tropidophiidae spp. | |
| | | Atheris desaixi | |
| | <i>Viperidae –</i> Vipers | Bitis worthingtoni | |
| | | Montivipera wagneri | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|------------|---|----------------------------------|------------|
| | | Protobothrops | |
| | | mangshanensis | |
| | | Pseudocerastes | |
| | | urarachnoides | |
| | <i>Carettochelyidae</i> – Pig- nosed turtles | Carettochelys insculpta | |
| | <i>Chelidae –</i> Austro-American | Chelodina mccordi ^{A21} | |
| | sideneck turtles | Chelus fimbriatus Includes | |
| | | Chelus orinocensis | |
| | <i>Chelydridae</i> – Snapping | Chelydra serpentine | |
| | turtles | Macrochelys temminckii | |
| Testudines | <i>Dermatemydidae –</i> Central American river turtles | Dermatemys mawii | |
| | | Clemmys guttata | |
| | | Emydoidea blandingii | |
| | | Glyptemys insculpta | |
| | <i>Emydidae</i> – Box turtles, | Graptemys barbouri | |
| | freshwater turtles | Graptemys ernsti | |
| | | Graptemys gibbonsi | |
| | | Graptemys pearlensis | |
| | | Graptemys pulchra | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|-----------------------------------|------------------------------------|--|
| | | Malaclemys terrapin | |
| | | <i>Terrapene</i> spp. | Except the species included in Appendix I |
| | | Batagur borneoensis ^{A22} | |
| | | Batagur dhongoka | |
| | | Batagur trivittata ^{A22} | |
| | | <i>Cuora</i> spp. ^{A22} | Except the species included in Appendix I |
| | | <i>Cyclemys</i> spp. | |
| | | Geoemyda japonica | |
| | | Geoemyda spengleri | |
| | <i>Geoemydidae</i> – Box turtles, | Hardella thurjii | |
| | freshwater turtles | Heosemys annandalii ^{A22} | |
| | | Heosemys depressa ^{A22} | |
| | | Heosemys grandis | |
| | | Heosemys spinosa | |
| | | Leucocephalon yuwonoi | |
| | | Malayemys khoratensis | |
| | | Malayemys macrocephala | |
| | | Malayemys subtrijuga | |
| | | Mauremys japonica | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|-----------------------------------|-----------------------------------|--|
| | | Mauremys mutica | |
| | | Mauremys nigricans | |
| | | Melanochelys trijuga | |
| | | Morenia petersi | |
| | | Notochelys platynota | |
| | | Orlitia borneensis ^{A22} | |
| | | <i>Pangshura</i> spp. | Except the species included in Appendix I |
| | | Rhinoclemmys spp. | |
| | | Sacalia bealei | |
| | | Sacalia quadriocellata | |
| | | Siebenrockiella crassicollis | |
| | | Siebenrockiella leytensis | |
| | | Vijayachelys silvatica | |
| | | Claudius angustatus | |
| | <i>Kinosternidae-</i> Mud Turtles | <i>Kinosternon</i> spp. | Except the species included in Appendix I |
| | | Staurotypus salvinii | |
| | | Staurotypus triporcatus | |
| | | <i>Sternotherus</i> spp. | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|---------------------------------|---|--|
| | | Erymnochelys | |
| | <i>Podocnemididae</i> – Afro- | madagascariensis | |
| | American sideneck turtles | Peltocephalus dumerilianus | |
| | | Podocnemis spp. | |
| | <i>Testudinidae –</i> Tortoises | <i>Testudinidae</i> spp. ^{A23} | Except for the species included in Appendix I. |
| | | Amyda cartilaginea | |
| | | <i>Apalone</i> spp. | Except the species included in Appendix I |
| | | <i>Chitra</i> spp. | Except the species included in Appendix I |
| | | Cyclanorbis elegans | |
| | | Cyclanorbis senegalensis | |
| | <i>Trionychidae</i> – Softshell | Cycloderma aubryi | |
| | turtles | Cycloderma frenatum | |
| | | Dogania subplana | |
| | | Lissemys ceylonensis | |
| | | Lissemys punctata | |
| | | Lissemys scutata | |
| | | Nilssonia formosa | |
| | | Palea steindachneri | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|-------------------------------|------------|
| | | Pelochelys spp. | |
| | | Pelodiscus axenaria | |
| | | Pelodiscus maackii | |
| | | Pelodiscus parviformis | |
| | | Rafetus euphraticus | |
| | | Rafetus swinhoei | |
| | | Trionyx triunguis | |

Class—Amphibia (amphibians)

| Order | Family | Genus, species, or subspecies | Exceptions |
|--------|---|-------------------------------|------------|
| | | Allobates femoralis | |
| | Aromobatidae Cruptic | Allobates hodli | |
| | <i>Aromobatidae</i> – Cryptic forest frogs | Allobates myersi | |
| | lorest rogs | Allobates zaparo | |
| Anura | | Anomaloglossus rufulus | |
| Allula | <i>Centrolenidae</i> – Glass frogs | <i>Centrolenidae</i> spp. | |
| | <i>Dendrobatidae</i> – Poison | Adelphobates spp. | |
| | | Ameerega spp. | |
| | frogs | Andinobates spp. | |
| | | Dendrobates spp. | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|---------------------------------------|--|------------|
| | | <i>Epipedobates</i> spp. | |
| | | <i>Excidobates</i> spp. | |
| | | Hyloxalus azureiventris | |
| | | <i>Minyobates</i> spp. | |
| | | Oophaga spp. | |
| | | Paruwrobates andinus | |
| | | Paruwrobates erythromos | |
| | | Phyllobates spp. | |
| | | <i>Ranitomeya</i> spp. | |
| | <i>Dicroglossidae</i> – Indian | Euphlyctis hexadactylus | |
| | bullfrogs | Hoplobatrachus tigerinus | |
| | | Agalychnis spp. ^{A24} Inlcudes | |
| | <i>Hylidae –</i> Tree frogs | Agalychnis annae, A. callidryas, A. | |
| | nyndde ffee ffogs | lemur, A. moreletii, A. saltator, A. | |
| | | <i>spurrelii</i> and <i>A. terranova</i> | |
| | <i>Mantellidae</i> – Mantella frogs | <i>Mantella</i> spp. | |
| | | Dyscophus antongilii | |
| | <i>Microhylidae</i> – Tomato frogs | Dyscophus guineti | |
| | | Dyscophus insularis | |
| | | Scaphiophryne boribory | |
| | | Scaphiophryne gottlebei | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|---------|--|-----------------------------------|--------------------------------|
| | | Scaphiophryne marmorata | |
| | | Scaphiophryne spinosa | |
| | | | Except Rheobatrachus silus and |
| | <i>Myobatrachidae</i> – Gastric- | <i>Rheobatrachus</i> spp. | Rheobatrachus vitellinus which |
| | brooding frogs | Mieobaliacius spp. | are not included in the |
| | | | Appendices |
| | <i>Ambystomatidae</i> – Axolotls, | Ambystoma dumerilii | |
| | mole salamanders | Ambystoma mexicanum | |
| | <i>Salamandridae</i> – Newts and salamanders | Echinotriton chinhaiensis | |
| Caudata | | Echinotriton maxiquadratus | |
| | | Laotriton laoensis ⁴²⁴ | |
| | | Paramesotriton spp. | |
| | | <i>Tylototriton</i> spp. | |

Class—Elasmobranchii (sharks)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------------|---------------------------------|-------------------------------|---|
| | <i>Carcharhinidae</i> – Requiem | <i>Carcharhindae</i> spp. | Entry into effect delayed by 12 months, i.e. until 25 November 2023 |
| Carcharhiniformes | sharks | Carcharhinus falciformis | To be deleted on 25 November 2023 |



| | | Carcharhinus longimanus | To be deleted on 25 November 2023 |
|-----------------|---|---------------------------|--------------------------------------|
| | <i>Sphyrnidae</i> – Hammerhead sharks | <i>Sphrynidae</i> spp. | |
| | <i>Alopiidae</i> – Thresher sharks | <i>Alopias</i> spp. | |
| | <i>Cetorhinidae</i> – Basking sharks | Cetorhinus maximus | |
| Lamniformes | | Carcharodon carcharias | |
| | <i>Lamnidae –</i> Mackerel sharks | Isurus oxyrinchus | |
| | | Isurus paucus | |
| | | Lamna nasus | |
| | <i>Myliobatidae</i> – Eagle and mobuild rays | <i>Mobula</i> spp. | |
| | | Potamotrygon albimaculata | |
| | | Potamotrygon henlei | |
| Myliobatiformes | Potomotrygonidao | Potamotrygon jabuti | |
| | <i>Potamotrygonidae –</i> Freshwater stingrays | Potamotrygon leopoldi | |
| | riesnwater stingidys | Potamotrygon marquesi | |
| | | Potamotrygon signata | |
| | | Potamotrygon wallacei | |



| Orectolobiformes | <i>Rhincodontidae</i> – Whale sharks | Rhincodon typus | |
|-------------------|---|--------------------------|--|
| Phinanristiformas | Guitarfishes | <i>Glaucostegus</i> spp. | |
| Rhinopristiformes | <i>Rhinidae</i> – Wedgefishes | Rhinidae spp. | |
| | <i>Rhinobatidae –</i> Guitarfishes | Rhinobatidae spp. | |

Class—Actinopteri (fishes)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------------|---|-----------------------------------|--|
| Acipenseriformes | Acipenseriformes | Acipenseriformes spp. | Except the species included in Appendix I |
| Anguilliformes | <i>Anguillidae –</i> Freshwater eels | Anguilla anguilla | |
| Cypriniformes | <i>Cyprinidae</i> – Carps | Caecobarbus geertsii | |
| Osteoglossiformes | <i>Arapaimidae –</i> Arapaimas | Arapaima gigas | |
| | <i>Labridae –</i> Wrasses | Cheilinus undulatus | |
| Perciformes | <i>Pomacanthidae –</i> Angelfishes | Holacanthus clarionensis | |
| Soluformes | <i>Lorucariidae –</i> Armoured catfish | Hypancistrys zebra ^{A19} | |
| Syngnathiformes | <i>Syngnathidae</i> – Seahorses | <i>Hippocampus</i> spp. | |



Class—Dipneusti (lungfishes)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------------|---|-------------------------------|------------|
| Ceratodontiformes | <i>Neoceratodontidae –</i> Australian lungfishes | Neoceratodus forsteri | |

Phylum—Echinodermata

Class—Holothuroidea (sea cucumbers)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|---|-------------------------------|---|
| Aspidochirotida | <i>Stichopodidae</i> – Sea cucumbers | <i>Thelonata</i> spp. | Entry into effect delayed by 18 months, i.e. until 25 May 2024 |
| Holothuriida | <i>Holothuriidae</i> – Teatfishes, sea cucumbers | Holothuria fuscogilva | |
| | | Holothuria nobilis | |
| | | Holothuria whitmaei | |

Phylum—Arthropoda

Class—Arachnida (scorpions and spiders)

| | Order | Family | Genus, species, or subspecies | Exceptions |
|---|---------|--------|-------------------------------|------------|
| ſ | Araneae | | Aphonopelma pallidum | |



| | | Brachypelma spp. | |
|------------|--|---------------------------|--|
| | Therenhasidae Ded knowd | <i>Poecilotheria</i> spp. | |
| | <i>Theraphosidae</i> – Red-kneed tarantulas, tarantulas | Sericopelma angustum | |
| | larantulas, larantulas | Sericopelma embrithes | |
| | | <i>Tlitocatl</i> spp. | |
| | <i>Scorpionidae –</i> Scorpions | Pandinus camerounensis | |
| | | Pandinus dictator | |
| Scorpiones | | Pandinus gambiensis | |
| | | Pandinus imperator | |
| | | Pandinus roeseli | |

Class—Insecta (insects)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------|------------------------------------|-------------------------------|--------------------------------|
| | <i>Scarabaeidae –</i> Scarab | Dynastes satanas | |
| Coleoptera | beetles | | |
| | Atrophaneura jophon | | |
| | | Atrophaneura pandiyana | |
| Lepidoptera | <i>Papilionidae</i> – Brush-footed | <i>Bhutanitis</i> spp. | |
| | butterflies | Ornithoptera spp. | Except the species included in |
| | | Omithoptera spp. | Appendix I |
| | | Papilio hospiton | |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|-------------------------------|------------|
| | | Parnassius apollo | |
| | | <i>Teinopalpus</i> spp. | |
| | | <i>Trogonoptera</i> spp. | |
| | | <i>Troides</i> spp. | |

Phylum—Annelida

Class—Hirudinoidea (leeches)

| Order | Family | Genus, species, or subspecies | Exceptions |
|------------------|--------------------------------|-------------------------------|------------|
| | <i>Hirudinidae</i> – Medicinal | Hirudo medicinalis | |
| Arhynchobdellida | leeches | Hirudo verbana | |

Phylum—Mollusca

Class—Bivalvia (clams and mussels)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------|----------------------------------|-------------------------------|------------|
| Mytiloida | <i>Mytilidae –</i> Date mussels | Lithophaga lithophaga | |
| | | Cyprogenia aberti | |
| Unionoida | <i>Unionidae –</i> Freshwater | Epioblasma torulosa | |
| | mussels, pearly mussels | rangiana | |
| | | Pleurobema clava | |
| Veneroida | <i>Tridacnidae</i> – Giant clams | Tridacnidae spp. | |



Class—Cephalopoda (squids, octopuses, cuttlefish)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------|-------------------------------|-------------------------------|------------|
| Nautilida | <i>Nautilidae</i> – Chambered | Nautilidae spp. | |
| Nautinua | nautilus | | |

Class—Gastropoda (snails and conches)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|--|-------------------------------|------------|
| Mesogastropoda | Strombidae – Queen conchs | Strombus gigas | |
| Stylommatophora | <i>Camaenidae –</i> Green tree snails | Papustyla pulcherrima | |

Phylum—Cnidaria

Class—Anthozoa (corals and sea anemones)

| Order | Family | Genus, species, or subspecies | Exceptions |
|--------------|---|----------------------------------|---|
| Antipatharia | <i>Antipatharia</i> – Black corals | ANTIPATHARIA spp. | |
| Helioporacea | Helioporidae – Blue corals | HELIOPORIDAE spp. ^{A25} | Includes only the species <i>Heliopora coerulea</i> . |
| Scleractinia | <i>Scleractinia</i> – Stony corals | SCLERACTINIA spp. A25 | |
| Stolonifera | <i>Tubiporidae</i> – Organ-pipe corals | TUBIPORIDAE spp. A25 | |



Class—Hydrozoa (sea ferns, fire corals and stinging medusae)

| Order | Family | Genus, species, or subspecies | Exceptions |
|--------------|------------------------------------|-------------------------------|------------|
| Milleporina | <i>Milleporidae</i> – Fire corals | MILLEPORIDAE spp. A25 | |
| Stylasterina | <i>Stylasteridae</i> – Lace corals | STYLASTERIDAE spp. A25 | |

Part II

FLORA (plants)

| Family | Genus, species, or subspecies | Exceptions |
|---|---------------------------------------|---|
| | Agave victoriae-reginae#4 | |
| <i>Agavaceae</i> – Agaves, bear-grass | Nolina interrata | |
| | Yucca queretaroensis | |
| Amaryllidaceae – Snowdrops, | <i>Galanthus</i> spp. ^{#4} | |
| sternbergias | <i>Sternbergia</i> spp. ^{#4} | |
| | Operculicarya decaryi | |
| Anacardiaceae – Cashews | Operculicarya hyphaenoides | |
| | Operculicarya pachypus | |
| Anagymagaaa Elephant trupks boodias | <i>Hoodia</i> spp. ^{#9} | |
| <i>Apocynaceae</i> – Elephant trunks, hoodias | Pachypodium spp. ^{#4} | Except the species included in Appendix I |



| Family | Genus, species, or subspecies | Exceptions |
|--|---|--|
| | Rauvolfia serpentina ^{#2} | |
| <i>Araliaceae</i> – Ginseng | Panax ginseng ^{#3} | Only the population of the Russian Federation; no other population is included in the Appendices |
| | Panax quinquefolius ^{#3} | |
| Asparagaceae – Includes ponytail palms | <i>Beaucarnea</i> spp. | |
| Berberidaceae – Himalayan May-apple | Podophyllum hexandrum ^{#2} | |
| | Handroanthus spp. ^{#17} | Entry into effect delated by 24 months, i.e. until 25 November 2024 |
| <i>Bignoniaceae</i> - Trumpet trees | <i>Roseodendron</i> spp. ^{#17} | Entry into effect delated by 24 months, i.e. until 25 November 2024 |
| | <i>Tabebuia</i> spp. ^{#17} | Entry into effect delated by 24 months, i.e. until 25 November 2024 |
| | Tillandsia harrisii ^{*#4} | |
| Bromeliaceae – Air plants, bromelias | Tillandsia kammii ^{*#4} | |
| | Tillandsia xerographica ^{*#4} | |
| <i>Cactaceae</i> – Cacti | <i>Cactaceae</i> spp. ^{P1 #4} | Except the species included in Appendix I and except <i>Pereskia</i> spp., <i>Pereskiopsis</i> spp. and <i>Quiabentia</i> spp. Which are not included in the Appendices |
| <i>Caryocaraceae –</i> Ajo | Caryocar costaricense ^{#4} | |
| Crassulaceae - Roseroot | <i>Rhodiola</i> spp. ^{#2} | |
| <i>Cucurbitaceae</i> – Melons, gourds, | Zygosicyos pubescens | |
| cucurbits | Zygosicyos tripartitus | |



| Family | Genus, species, or subspecies | Exceptions |
|---|--|---|
| <i>Cupressaceae</i> – Alerce, cypresses | Widdringtonia whytei | |
| <i>Cyatheaceae</i> – Tree-ferns | <i>Cyathea</i> spp. ^{#4} | |
| <i>Cycadaceae</i> – Cycads | <i>Cycadaceae</i> spp. ^{#4} | Except the species included in Appendix I |
| | <i>Cibotium barometz</i> #4 | |
| <i>Dicksoniaceae</i> – Tree-ferns | <i>Dicksonia</i> spp. ^{#4} | Only the populations of the Americas; no other population is included in the Appendices |
| <i>Didiereaceae</i> – Alluaudias, didiereas | <i>Didiereaceae</i> spp. ^{#4} | |
| <i>Dioscoreaceae</i> – Elephant's foot, kniss | Dioscorea deltoide ^{#4*} | |
| <i>Droseraceae</i> – Venus' flytrap | Dionaea muscipula ^{#4} | |
| <i>Ebenaceae</i> – Ebonies | <i>Diospyros</i> spp. ^{#5} | Only the populations of Madagascar; no other population is included in the Appendices |
| <i>Euphorbiaceae</i> – Spurges | <i>Euphorbia</i> spp. ^{P2 #4} | Succulent species only except the species included in the Appendix I and <i>Euphorbia misera</i> which are not included in the Appendices. |
| <i>Fouquieriaceae</i> – Ocotillos | Fouquieria columnaris ^{#4} | |
| <i>Juglandaceae</i> – Gavilan | Oreomunnea pterocarpa ^{#4} | |
| <i>Lauraceae</i> – Brazilian Rosewood | Aniba rosaeodora ^{#12} | |
| | <i>Afzelia</i> spp. ^{#17} | Only the African populations; no other population is included in the Appendices |
| | <i>Dalbergia</i> spp. ^{#15} | Except for the species listed in Appendix I |



| Family | Genus, species, or subspecies | Exceptions |
|---|--|---|
| | <i>Dipteryx</i> spp. ^{#17} | Entry into effect delayed by 24 months; i.e. until 25 May 2024 |
| | <i>Guibourtia demeusel^{#15}</i> | |
| | <i>Guibourtia pellegriniana</i> ^{#15} | |
| | <i>Guibourtia tessmannii</i> ^{#15} | |
| <i>Leguminosae –</i> (Fabaceae) Afrormosia, | Paubrasilia echinate ^{#10} | |
| cristobal, palisander, rosewood, | Pericopsis elata ^{#17} | |
| sandalwood | Platymiscium parviflorum ^{#4} | |
| | <i>Pterocarpus</i> spp ^{#4} | Except the <i>Pterocarpus santalinus</i> which is included in Appendix II with annotation #7; only the African population is included in the Appendices. |
| | Pterocarpus santalinus ^{#7} | |
| | Senna meridionalis | |
| <i>Liliaceae –</i> Aloes | Aloe spp. #4 | Except the species included in Appendix I and <i>Aloe</i> <i>vera</i> , also referenced as <i>Aloe barbadensis</i> which is not included in the Appendices |
| Malvaceae – Baobabs | Adansonia grandidieri ^{#16} | |
| Maliacaza Mahaganias West Indian | Cedrela spp. ^{#6} | Only the populations of the Neotropics; no other population is included in the Appendices |
| <i>Meliaceae</i> – Mahoganies, West Indian cedar | <i>Khaya</i> spp. ^{#17} | Only the African populations; no other population is included in the Appendices |
| | Swietenia humilis ^{#4} | |



| Family | Genus, species, or subspecies | Exceptions |
|---|--|---|
| | <i>Swietenia macrophylla</i> ^{#6} | Onlt the populations of the Neotropics; no other population is included in the Appendices |
| | Swietenia mahagoni ^{*#5} | |
| <i>Nepenthaceae</i> – Pitcher-plants (Old World) | <i>Nepenthes</i> spp. ^{#4} | Except for the species listed in Appendix I |
| <i>Orchidaceae</i> – Orchids | ORCHIDACEAE spp. P3 #4 | Except for the species listed in Appendix I |
| Orobanchaceae –Desert cistanche | Cistanche deserticola ^{#4} | |
| | Beccariophoenix madagascariensis#4 | |
| | Dypsis decaryi ^{#4} | |
| | Lemurophoenix halleuxii | |
| <i>Palmae</i> – Palms | Marojejya darianii | |
| Paimae – Paims | Ravenea louvelii | |
| | Ravenea rivularis | |
| | Satranala decussilvae | |
| | Voanioala gerardii | |
| | Adenia firingalavensis | |
| Passifloraceae – Passion-flowers | Adenia olaboensis | |
| | Adenia subsessilifolia | |
| <i>Pedaliaceae –</i> Sesames | Uncarina grandidieri | |
| Peudilacede – Sesames | Uncarina stellulifera | |
| | Anacampseros spp. #4 | |



| Family | Genus, species, or subspecies | Exceptions |
|---|---|--|
| Portulacaceae – Lewisias, portulacas, | Avonia spp. ^{#4} | |
| purslanes | Lewisia serrata ^{#4} | |
| Primulaceae – Cyclamens | <i>Cyclamen</i> spp. ^{P5 #4} | |
| Ranunculaceae – Golden seals, yellow | Adonis vernalis ^{#2} | |
| adonis, yellow root | Hydrastis canadensis ^{#8} | |
| <i>Rosaceae</i> – African cherry, stinkwood | Prunus africana ^{#4} | |
| <i>Santalaceae –</i> Sandalwoods | <i>Osyris lanceolata</i> ^{#2} | Only the populations of Burundi, Ethiopia, Kenya, Rwanda, Uganda and the United Republic of Tanzania; no other population is included in the Appendices |
| <i>Sarraceniaceae</i> – Pitcher-plants (New World) | Sarracenia spp. ^{#4} | Except for the species listed in Appendix I |
| <i>Scrophulariaceae</i> – Kutki | Picrorhiza kurrooa ^{#2} | Excludes Picrorhiza scrophulariiflora |
| <i>Stangeriaceae</i> – Stangerias | <i>Bowenia</i> spp. ^{#4} | |
| | <i>Taxus chinensis</i> ^{#2} | Includes infraspecific taxa of this species |
| | <i>Taxus cuspidata</i> ^{12 #2} | Includes infraspecific taxa of this species |
| <i>Taxaceae –</i> Yew | <i>Taxus fuana</i> ^{#2} | Includes infraspecific taxa of this species |
| | <i>Taxus sumatrana</i> ^{#2} | Includes infraspecific taxa of this species |
| | <i>Taxus wallichiana^{#2}</i> | |
| <i>Thymelaeaceae</i> – (Aquilariaceae) | Aquilaria spp. ^{#14} | |
| Agarwood, ramin | <i>Gonystylus</i> spp. ^{#4} | |



| Family | Genus, species, or subspecies | Exceptions |
|--|---|--|
| | <i>Gyrinops</i> spp. ^{#14} | |
| <i>Valerianaceae</i> – Himalayan spikenard | Nardostachys grandiflora ^{#2} | |
| | Cyphostemma elephantopus | |
| <i>Vitaceae –</i> Grapes | Cyphostemma laza | |
| | Cyphostemma montagnacii | |
| Welwitschiaceae – Welwitschia | Welwitschia mirabilis ^{#4} | |
| <i>Zamiaceae</i> – Cycads | Zamiaceae spp. ^{#4} | Except for the species listed in Appendix I |
| | Hedychium philippinense ^{#4} | |
| <i>Zingiberaceae</i> – Ginger lily, Natal ginger | Siphonochilus aethiopicus ^{#4} | Only the populations of Mozambique, South Africa, Eswatini and Zimbabwe; no other population is included in the Appendices |
| Zugophyllogogo Lignum vitog | Bulnesia sarmientoi ^{#11} | |
| <i>Zygophyllaceae</i> – Lignum-vitae | <i>Guaiacum</i> spp. ^{#2} | |

Interpretation

- 1. Species included in this Appendix are referred to:
 - a) By the name of the species; or
 - b) As being all of the species included in a higher taxon or designated part thereof.
- 2. The abbreviation "spp." is used to denote all species of a higher taxon.
- 3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in the Appendices. In most cases this is not all of the species within the family.



- 4. The following abbreviations are used for plant taxa below the level of species:
 - a) "ssp." is used to denote subspecies; and
 - b) "var(s)." is used to denote variety (varieties).
- 5. As none of the species or higher taxa of FLORA included in Appendix I is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.
- 6. The names of the countries in parentheses placed against the names of the species in Appendix III are those of the Parties to the Convention submitting these species for inclusion in Appendix III of the Convention.
- 7. When a species is included in one of the Appendices, the whole, live or dead, animal or plant is always included. In addition, for animal species listed in Appendix III and plant species listed in this Appendix or Appendix III, all parts and derivatives of the species are also included in the same Appendix unless the species is annotated to indicate that only specific parts and derivatives are included. The symbol # followed by a number placed against the name of a species or higher taxon included in this Appendix or Appendix III refers to a footnote that indicates the parts or derivatives of animals or plants that are designated as 'specimens' subject to the provisions of the Convention in accordance with Article I, paragraph (b), subparagraph (ii) or (iii).
- 8. The terms and expressions below, used in annotations in this Appendix, are defined as follows:

<u>Extract</u>

Any substance obtained directly from plant material by physical or chemical means regardless of the manufacturing process. An extract may be solid (e.g. crystals, resin, fine or coarse particles), semi-solid (e.g. gums, waxes) or liquid (e.g. solutions, tinctures, oil and essential oils).

Finished musical instruments

A musical instrument (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is ready to play or needs only the installation of parts to make it playable. This term includes antique instruments (as defined by the Harmonized System codes 97.05 and 97.06; Works of art, collectors' pieces and antiques).

Finished musical instrument accessories



A musical instrument accessory (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is separate from the musical instrument, and is specifically designed or shaped to be used explicitly in association with an instrument, and that requires no further modification to be used.

Finished musical instrument parts

A part (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) of a musical instrument that is ready to install and is specifically designed and shaped to be used explicitly in association with the instrument to make it playable.

Finished products packaged and ready for retail trade

Products, shipped singly or in bulk, requiring no further processing, packaged, labelled for final use or the retail trade in a state fit for being sold to or used by the general public.

<u>Powder</u>

A dry, solid substance in the form of fine or coarse particles.

<u>Shipment</u>

Cargo transported under the terms of a single bill of lading or air waybill, irrespective of the quantity or number of containers, packages, or pieces worn, carried or included in personal baggage.

Ten (10) kg per shipment

For the term "10 kg per shipment", the 10 kg limit should be interpreted as referring to the weight of wood of each individual annotated species of genus Dalbergia or Guibourtia present in the items in the shipment. The 10 kg limit is to be assessed only against the individual weights of the portions of wood of each individual annotated species contained in each item of the shipment, and not against the total weight of the shipment. The total weights present of each individual annotated species are considered individually to determine whether a CITES permit or certificate is required for each individual annotated species, and weights of different individual annotated species are not added together for this purpose.

Transformed wood



Defined by Harmonized System code 44.09: Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed.

<u>Woodchips</u>

Wood that has been reduced to small pieces.

- 1. For the exclusive purpose of allowing international trade in fibre from vicuñas (*Vicugna vicugna*) and their derivative products, only if the fibre comes from the shearing of live vicuñas. Trade in products derived from the fibre may only take place in accordance with the following provisions:
 - a) Any person or entity processing vicuña fibre to manufacture cloth and garments must request authorization from the relevant authorities of the country of origin (Countries of origin: The countries where the species occurs, that is, Argentina, Bolivia, Chile, Ecuador and Peru) to use the "vicuña country of origin" wording, mark or logo adopted by the range States of the species that are signatories to the Convention for the Conservation and Management of the Vicuña.
 - b) Marketed cloth or garments must be marked or identified in accordance with the following provisions:
 - i) For international trade in cloth made from live-sheared vicuña fibre, whether the cloth was produced within or outside of the range States of the species, the wording, mark or logo must be used so that the country of origin can be identified. The VICUÑA [COUNTRY OF ORIGIN] wording, mark or logo has the format as detailed in the respective Appendices of the Convention.

This wording, mark or logo must appear on the reverse side of the cloth. In addition, the selvages of the cloth must bear the words VICUÑA [COUNTRY OF ORIGIN].

- ii) For international trade in garments made from live-sheared vicuña fibre, whether the garments were produced within or outside of the range States of the species, the wording, mark or logo indicated in paragraph b) i) must be used. This wording, mark or logo must appear on a label on the garment itself. If the garments are produced outside of the country of origin, the name of the country where the garment was produced should also be indicated, in addition to the wording, mark or logo referred to in paragraph b) i).
- c) For international trade in handicraft products made from live-sheared vicuña fibre produced within the range States of the species, the VICUÑA [COUNTRY OF ORIGIN] ARTESANÍA wording, mark or logo must be used as detailed in the respective Appendices of the Convention.
- d) If live-sheared vicuña fibre from various countries of origin is used for the production of cloth and garments, the wording, mark or logo of each of the countries of origin of the fibre must be indicated, as detailed in paragraphs b) i) and ii).



- e) All other specimens shall be deemed to be specimens of species listed in Appendix I and the trade in them shall be regulated accordingly.
- 2. Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in this Appendix):

For the exclusive purpose of allowing:

- a) trade in hunting trophies for non-commercial purposes;
- b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20 (Rev. CoP18), for Botswana and Zimbabwe and for in situ conservation programmes for Namibia and South Africa;
- c) trade in hides;
- d) trade in hair;
- e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
- f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;
- g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:
 - i. only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);
 - ii. only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP18) concerning domestic manufacturing and trade;
 - iii. not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;
 - iv. raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);
 - v. in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph g) iv) above, in a single sale per destination under strict supervision of the Secretariat;
 - vi. the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and
 - vii. the additional quantities specified in paragraph g) v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; and



h) no further proposals to allow trade in elephant ivory from populations already in this Appendix shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs g) i), g) ii), g) iii), g) iii), g) iii), g) vi) and g) vii). In addition, such further proposals shall be dealt with in accordance with Decisions 16.55 and 14.78 (Rev. CoP16).

On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

- 9. Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of the Convention:
 - Hatiora x graeseri
 - Schlumbergera x buckleyi
 - Schlumbergera russelliana x Schlumbergera truncata
 - Schlumbergera orssichiana x Schlumbergera truncata
 - Schlumbergera opuntioides x Schlumbergera truncata
 - Schlumbergera truncata (cultivars)
 - Cactaceae spp. colour mutants grafted on the following grafting stocks: Harrisia 'Jusbertii', Hylocereus trigonus or Hylocereus undatus
 - Opuntia microdasys (cultivars).
- 10. Artificially propagated hybrids of the following genera are not subject to the provisions of the Convention, if conditions, as indicated under a) and b), are met: *Cymbidium, Dendrobium, Phalaenopsis* and *Vanda*.
 - a) Specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and
 - b)
- i. when shipped in non-flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or



ii. when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

- 11. Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.
- 12. Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text 'artificially propagated', are not subject to the provisions of the Convention.
- #1 All parts and derivatives, except:
 - a) seeds, spores and pollen (including pollinia);
 - b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
 - c) cut flowers of artificially propagated plants; and
 - d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus Vanilla.
- #2 All parts and derivatives except:
 - a) seeds and pollen; and
 - b) finished products packaged and ready for retail trade.

#3 - Whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery.

#4 - All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;

- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.



g) finished products derived from artificial propagation, packaged and ready for retail trade of cosmetics containing parts and derivatives of *Bletilla striata, Cycnoches* cooperi, Gastrodia elata, Phalaenopsis amabilis or Phalaenopsis lobbii.

- #5 Logs, sawn wood and veneer sheets.
- #6 Logs, sawn wood, veneer sheets and plywood.
- #7 Logs, woodchips, powder and extracts.
- #8 Underground parts (i.e. roots, rhizomes): whole, parts and powdered.
- #9 All parts and derivatives except those bearing a label:

"Produced from *Hoodia* spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxxx] [South Africa under agreement No. ZA/xxxxxx]".

#10 - Designates logs, sawn wood and veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

#11 - Logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

#12 - Logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

#13 - The kernel (also known as 'endosperm', 'pulp' or 'copra') and any derivative thereof, except finished products packaged and ready for retail trade.

- #14 All parts and derivatives except:
 - a) seeds and pollen;
 - b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
 - c) fruits;
 - d) leaves;
 - e) exhausted agarwood powder, including compressed powder in all shapes; and
 - f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings.



#15 - All parts and derivatives, except:

- a) Leaves, flowers, pollen, fruits, and seeds;
- b) Finished products to a maximum weight of wood of the listed species of up to 10 kg per shipment;
- c) Finished musical instruments, finished musical instrument parts and finished musical instrument accessories;
- d) Parts and derivatives of Dalbergia cochinchinensis, which are covered by Annotation # 4;
- e) Parts and derivatives of Dalbergia spp. originating and exported from Mexico, which are covered by Annotation # 6.

#16 - Seeds, fruits and oils.

#17 - Logs, sawn wood, veneer sheets, plywood and transformed wood.

#18 - Excluding parts and derivatives, other than eggs

م در د م تر کر کر

دِ عَدْمُوَوْدَهُ مَرْمُوْدَهُ بِرَضَّنَ وَجُرَدُدُ مَرْسُوْ مَنْ آ مَمِ II دَمِ آI دَمِ آI دَمِ مَرْمُوْدَ مُنَعْهُ وَجُرَدُدُ وَسُوَمُرُودُ مَعْهُونُ وَمُرْفُودُ مَعْهُونُ وَجُرَدُدُ مَعْهُونُ وَمُرْفُودُ مَعْهُونُ وَجُرَدُودُ مَعْهُونُ مَعْهُونُ وَجُرَدُودُ مَعْهُونُ مَدْ وَجُرَدُودُ مَعْهُونُ مُونُودُ مُعَدُونُ مُونُونُ مُونُونُ مُعْمُونُ وَجُرَدُودُ مَعْهُونُ مُنْ مُونُونُ مُعْمُونُ وَجُرَدُودُ مُ مُنْ مُونُ مُونُ وَجُرَدُودُ مُعْمُونُ مُونُ مُونُ مُونُ مُنْ مُونُ مُرَدُونُ مُونُ مُونُ مُونُ مُنْ مُدُونُ مُونُ مُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ مُ مُونُ مُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ مُونُ م



CITES APPENDIX III

Part I

FAUNA (animals)

Phylum—Chordata

Class—Mammalia (mammals)

| Order | Family | Species | Exceptions/ countries requiring an export permit |
|--------------|--------------|--|--|
| | Artiodactyla | Antilope cervicapra | Nepal, Pakistan |
| | | Boselaphus tragocamelus | Pakistan |
| Artiodactyla | | <i>Bubalus arnee Capra hircus aegagrus</i> | Excludes the domesticated form, which is referenced as <i>Bubalus</i> <i>bubalis</i> and is not subject to the provisions of the Convention; Nepal Pakistan |
| | | Capra sibirica | Pakistan |
| | | Gazella bennettii | Pakistan Excludes the domesticated form, which is referenced as <i>Bubalus</i> <i>bubalis</i> and is not subject to the provisions of the Convention; Nepal Pakistan |
| | | Gazella dorcas Alg | Algeria, Tunisia |
| | | Pseudois nayaur | Pakistan |
| | | Tetracerus quadricornis | Nepal |



| Order | Family | Species | Exceptions/ countries requiring an export permit |
|-----------|--------------------------------------|-----------------------------------|--|
| | | Except the subspecies included in | |
| | | Axis porcinus | Appendix I; |
| | | | Pakistan |
| | <i>Cervidae</i> – Deer, huemuls, | Cervus elaphus barbarus | Algeria, Tunisia |
| | muntjacs, pudus | Mazama temama cerasina | Guatemala |
| | | Odocoileus virginianus | Guatemala |
| | | mayensis | Guatemala |
| | | Canis aureus | India |
| | <i>Canidae –</i> Dogs, foxes, wolves | Vulpes bengalensis | India |
| | | Vulpes vulpes griffithi | India |
| | | Vulpes vulpes montana | India |
| | | Vulpes vulpes pusilla | India |
| | | Herpestes edwardsi | India, Pakistan |
| Carnivora | | Herpestes fuscus | India |
| | | Herpestes javanicus | Pakistan |
| | Harpastidaa Mangaasas | Herpestes javanicus | India |
| | <i>Herpestidae –</i> Mongooses | auropunctatus | India |
| | | Herpestes smithii | India |
| | | Herpestes urva | India |
| | | Herpestes vitticollis | India |



| Order | Family | Species | Exceptions/ countries requiring an export permit |
|-------|--|----------------------------|--|
| | | Hyaena hyaena | Pakistan |
| | <i>Hyaenidae –</i> Aardwolf, hyenas | Proteles cristata | Botswana |
| | | Eira barbara | Honduras |
| | | Martes flavigula | India |
| | | Martes foina intermedia | India |
| | <i>Mustelinae</i> – Grisons, honey | Martes gwatkinsii | India |
| | badgers, martens, tayra, | Mellivora capensis | Botswana |
| | weasels | Mustela altaica | India |
| | | Mustela erminea ferghanae | India |
| | | Mustela kathiah | India |
| | | Mustela sibirica | India |
| | <i>Odobenidae</i> – Walruses | Odobenus rosmarus | Canada |
| | <i>Procyonidae –</i> Coatis, | Nasua narica | Honduras |
| | | Nasua nasua solitaria | Uruguay |
| | kinkajous, olingos | Potos flavus | Honduras |
| | | Arctictis binturong | India |
| | <i>Viverridae</i> – Binturong, civets, | Civettictis civetta | Botswana |
| | linsangs, otter-civet, palm civets | Paguma larvata | India |
| | | Paradoxurus hermaphroditus | India |



| Order | Family | Species | Exceptions/ countries requiring an export permit |
|------------|--|--------------------------------------|--|
| | | Paradoxurus jerdoni | India |
| | | Viverra civettina | India |
| | | Viverra zibetha | India |
| | | Viverricula indica | India |
| Chiroptera | <i>Phyllostomidae</i> – Broad-nosed bats | Platyrrhinus lineatus | Uruguay |
| Cingulata | <i>Dasypodidae</i> – Armadillos | Cabassous tatouay | Uruguay |
| Pilosa | <i>Myrmecophagidae</i> – American anteaters | Tamandua mexicana | Guatemala |
| | <i>Cuniculidae</i> – Pacas | Cuniculus paca | Honduras |
| | Dasyproctidae – Agoutis | Dasyprocta punctata | Honduras |
| | <i>Erethizontidae</i> – New-world | Sphiggurus mexicanus | Honduras |
| Rodentia | porcupines | Sphiggurus spinosus | Uruguay |
| | <i>Sciuridae –</i> Ground squirrels, | Marmota caudata | India |
| | tree squirrels | <i>Marmota himalayana</i> (India) | India |

Class—Aves (birds)



| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|---|-------------------------------|-------------------------------|
| Anseriformes | <i>Anatidae –</i> Ducks, geese, | Dendrocygna autumnalis | Honduras |
| Ansemormes | swans | Dendrocygna bicolor | Honduras |
| Charadriiformes | Burhinidae – Thick-knees | Burhinus bistriatus | Guatemala |
| Columbiformes | <i>Columbidae</i> – Doves, pigeons | Nesoenas mayeri | Mauritius |
| Falconiformes | <i>Cathartidae</i> – New-world vultures | Sarcoramphus papa | Honduras |
| | | Crax alberti | Colombia |
| | <i>Cracidae –</i> Chachalacas, currassows, guans | Crax daubentoni | Colombia |
| | | Crax globulosa | Colombia |
| | | Crax rubra | Colombia, Guatemala, Honduras |
| | | Ortalis vetula | Guatemala, Honduras |
| | | Pauxi pauxi | Colombia |
| Galliformes | | Penelope purpurascens | Honduras |
| | | Penelopina nigra | Guatemala |
| | | Lophura leucomelanos | Pakistan |
| | <i>Phasianidae</i> – Grouse, | Meleagris ocellata | Guatemala |
| | guineafowl, partridges, | Pavo cristatus | Pakistan |
| | peafowl, pheasants, | Pucrasia macrolopha | Pakistan |
| | tragopans | Tragopan satyra | Nepal |



| | | Alauda arvensis | Population of Ukraine; Ukraine |
|---------------|---|--------------------------|-----------------------------------|
| | A laudida a la dua | Galerida cristata | Population of Ukraine; Ukraine |
| | <i>Alaudidae –</i> Larks | Lullula arborea | Population of Ukraine; Ukraine |
| | | Melanocorypha calandra | Population of Ukraine; Ukraine |
| | Cotingidae Cotinges | Cephalopterus ornatus | Colombia |
| | <i>Cotingidae</i> – Cotingas | Cephalopterus penduliger | Colombia |
| | | Emberiza citrinella | Population of Ukraine; Ukraine |
| Passeriformes | <i>Emberizidae –</i> Cardinals, tanagers | Emberiza hortulana | Population of Ukraine; Ukraine |
| | tunagers | Melopyrrha nigra | Cuba |
| | | Tiaris canorus | Cuba |
| | | Carduelis cannabina | Population of Ukraine; Ukraine |
| | | Carduelis carduelis | Population of Ukraine; Ukraine |
| | <i>Fringillidae –</i> Finches | Carduelis flammea | Population of Ukraine; Ukraine |
| | | Carduelis hornemanni | Population of Ukraine; Ukraine |
| | | Carduelis spinus | Population of Ukraine; |



| | | Ukraine |
|--|--------------------------|-----------------------------------|
| | Carpodacus erythrinus | Population of Ukraine; Ukraine |
| | Loxia curvirostra | Population of Ukraine; Ukraine |
| | Pyrrhula pyrrhula | Population of Ukraine; Ukraine |
| | Serinus serinus | Population of Ukraine; Ukraine |
| | Acrocephalus rodericanus | Mauritius |
| | Erithacus rubecula | Population of Ukraine; Ukraine |
| | Ficedula parva | Population of Ukraine; Ukraine |
| | Hippolais icterina | Population of Ukraine; Ukraine |
| <i>Muscicapidae</i> – Old-world flycatchers | Luscinia luscinia | Population of Ukraine; Ukraine |
| | Luscinia megarhynchos | Population of Ukraine; Ukraine |
| | Luscinia svecica | Population of Ukraine; Ukraine |
| | Monticola saxatilis | Population of Ukraine; Ukraine |
| | Sylvia atricapilla | Population of Ukraine; |



| | | | Ukraine |
|------------|-------------------------------|---------------------------|------------------------|
| | | Sulvia barin | Population of Ukraine; |
| | | Sylvia borin | Ukraine |
| | | Sylvia curruca | Population of Ukraine; |
| | | Sylvia curruca | Ukraine |
| | | Sylvia nisoria | Population of Ukraine; |
| | | Sylvia Ilisolia | Ukraine |
| | | Terpsiphone bourbonnensis | Mauritius |
| | | Turdus merula | Population of Ukraine; |
| | | | Ukraine |
| | | Turdus philomelos | Population of Ukraine; |
| | | Turdus prinomeios | Ukraine |
| | <i>Oriolidae</i> – Orioles | Oriolus oriolus | Population of Ukraine; |
| | | | Ukraine |
| | <i>Paridae –</i> Tits | Parus ater | Population of Ukraine; |
| | | | Ukraine |
| | <i>Troglodytidae</i> – Wrens | Troglodytes troglodytes | Population of Ukraine; |
| | | negicajtes negicajtes | Ukraine |
| | <i>Capitonidae</i> – Barbets | Semnornis ramphastinus | Colombia |
| Piciformes | | Baillonius bailloni | Argentina |
| | Bamphastidae Tourses | Pteroglossus castanotis | Argentina |
| | <i>Ramphastidae</i> – Toucans | Ramphastos dicolorus | Argentina |
| | | Selenidera maculirostris | Argentina |



Class—Reptilia (reptiles)

| Order | Family | Genus, species, or subspecies | Exceptions |
|--------|--------------------------------|--|------------|
| | | Calotes ceylonensis | Sri Lanka |
| | | Calotes desilvai | Sri Lanka |
| | Aromidae Crimy tailed | Calotes liocephalus | Sri Lanka |
| | <i>Agamidae</i> – Spiny-tailed | Calotes liolepis | Sri Lanka |
| | lizards, agamas | Calotes manamendrai | Sri Lanka |
| | | Calotes nigrilabris | Sri Lanka |
| | | Calotes pethiyagodai | Sri Lanka |
| | | Ctenophorus spp. | Australia |
| Sauria | | Intellagama spp. | Australia |
| Saulia | | Tympanocryptis spp. | Australia |
| | | Goniurosaurus kuroiwae ^{#18} | Japan |
| | | <i>Goniurosaurus orientalis</i> ^{#18} | Japan |
| | Fublesheridae Fuelid | Goniurosaurus sengokul ^{#18} | Japan |
| | <i>Eublepharidae</i> – Eyelid | Goniurosaurus splendens ^{#18} | Japan |
| | geckos | Goniurosaurus toyamai ^{#18} | Japan |
| | | Goniurosaurus | lanan |
| | | yamashinae ^{#18} | Japan |
| | <i>Gekkonidae</i> – Geckos | <i>Carphodactylus s</i> pp. | Australia |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--------|-------------------------------|-------------|
| | | <i>Dactylocnemis</i> spp. | New Zealand |
| | | Hoplodactylus spp. | New Zealand |
| | | <i>Mokopirirakau</i> spp. | New Zealand |
| | | <i>Neprurus</i> spp. | Australia |
| | | <i>Orraya</i> spp. | Australia |
| | | <i>Phyllurus</i> spp. | Australia |
| | | <i>Saltuarius</i> spp. | Australia |
| | | Sphaerodactylus armasi | Cuba |
| | | Sphaerodactylus celicara | Cuba |
| | | Sphaerodactylus | Cultur |
| | | dimorphicus | Cuba |
| | | Sphaerodactylus intermedius | Cuba |
| | | Sphaerodactylus | Cultur |
| | | nigropunctatus alayoi | Cuba |
| | | Sphaerodactylus | Culta |
| | | nigropunctatus granti | Cuba |
| | | Sphaerodactylus | Culta |
| | | nigropunctatus lissodesmus | Cuba |
| | | Sphaerodactylus | Culta |
| | | nigropunctatus ocujal | Cuba |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|-------------------------------|-------------------------------|-------------|
| | | Sphaerodactylus | Cuba |
| | | nigropunctatus strategus | Cuba |
| | | Sphaerodactylus notatus | Cuba |
| | | atactus | Cuba |
| | | Sphaerodactylus oliveri | Cuba |
| | | Sphaerodactylus pimienta | Cuba |
| | | Sphaerodactylus ruibali | Cuba |
| | | Sphaerodactylus siboney | Cuba |
| | | Sphaerodactylus torrei | Cuba |
| | | Strophurus spp | Australia |
| | | Toropuku spp. | New Zealand |
| | | Tukutuku spp. | New Zealand |
| | | Underwoodisaurus spp. | Australia |
| | | Uvidicolus spp. | Australia |
| | | Woodworthia spp. | New Zealand |
| | | Anolis agueroi | Cuba |
| | | Anolis baracoae | Cuba |
| | <i>Polychrotidae</i> – Anoles | Anolis barbatus | Cuba |
| | | Anolis chamaeleonides | Cuba |
| | | Anolis equestris | Cuba |



| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------|---|-------------------------------|------------|
| | | Anolis guamuhaya | Cuba |
| | | Anolis luteogularis | Cuba |
| | | Anolis pigmaequestris | Cuba |
| | | Anolis porcus | Cuba |
| | | <i>Egernia</i> spp. | Australia |
| | | Tiliqua multifasciata | Australia |
| | Coincides - Colomon Islando | Tiliqua nigrolutea | Australia |
| | Scincidae – Solomon Islands | Tiliqua occipitalis | Australia |
| | giant skin | Tiliqua rugosa | Australia |
| | - | Tiliqua scincoides intermedia | Australia |
| | | Tiliqua scincoides scincoides | Australia |
| | | Atretium schistosum | India |
| | | Cerberus rynchops | India |
| | <i>Colubridae</i> – Typical snakes, | Xenochrophis piscator | India |
| | water snakes, whipsnakes | Xenochrophis | Tudia |
| Serpentes | | schnurrenbergeri | India |
| | | Xenochrophis tytleri | India |
| | Floridae Colorea const | Micrurus diastema | Honduras |
| | <i>Elapidae</i> – Cobras, coral snakes | Micrurus nigrocinctus | Honduras |
| | | Micrurus ruatanus | Honduras |



| Order | Family | Genus, species, or subspecies | Exceptions |
|------------|---|-------------------------------|--------------------------------|
| | Vinaridaa Vinara | Crotalus durissus | Honduras |
| | <i>Viperidae –</i> Vipers | Daboia russelii | India |
| | | Emys orbicularis | Population of Ukraine; |
| | <i>Emydidae</i> – Box turtles, | Lings or bicularis | Ukraine |
| | - | | Except the species included in |
| | freshwater turtles | <i>Graptemys</i> spp. | Appendix II, United States of |
| | | | America |
| | <i>Geoemydidae –</i> Box turtles, freshwater turtles | Mauremys iversoni | China |
| Testudines | | Mauremys megalocephala | China |
| restudines | | Mauremys pritchardi | China |
| | | Mauremys reevesii | China |
| | | Mauremys sinensis | China |
| | | Ocadia glyphistoma | China |
| | | Ocadia philippeni | China |
| | | Sacalia pseudocellata | China |

Class—Amphibia (amphibians)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-------|--|-------------------------------|------------|
| Anura | <i>Calyptocephalellidae –</i> Chilean toads | Calyptocephalella gayi | Chile |



| Order | Family | Genus, species, or subspecies | Exceptions |
|---------|---------------------------------|---------------------------------------|--------------------------|
| Caudata | <i>Cryptobranchidae</i> – Giant | Cryptobranchus alleganiensis | United States of America |
| | salamanders | Cryptobranchus alleganiensis | |
| | <i>Hynobiidae</i> – Asiatic | Hynobius amjiensis | China |
| | salamanders | | |
| | Salamandridae – Newts and | Echinotriton andersoni ^{#18} | Japan |
| | salamanders | Salamandra algira | Algeria |

Class—Elasmobranchii (sharks)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|---|-------------------------------|------------------------------------|
| | | Paratrygon aiereba | Colombia |
| | | Potomotry gon son | Only the populations of Brazil not |
| | | <i>Potamotrygon</i> spp. | included in Appendix II, Brazil |
| | <i>Potamotrygonidae –</i> Freshwater stingrays | Potamotrygon constellata | Colombia |
| | | Potamotrygon magdalenae | Colombia |
| Myliobatiformes | | Potamotrygon motoro | Colombia |
| | | Potamotrygon orbignyi | Colombia |
| | | Potamotrygon schroederi | Colombia |
| | | Potamotrygon scobina | Colombia |
| | | Potamotrygon yepezi | Colombia |

Class—Actinopteri (fishes)



| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|---------------------------|-------------------------------|------------|
| Acipenseriforms | Pomacanthidae– Angel fish | Holacanthus limbaughi | France |

Phylum—Echinodermata

Class—Holothuroidea (sea cucumbers)

| Order | Family | Genus, species, or subspecies | Exceptions |
|-----------------|----------------------------|-------------------------------|------------|
| Aspidochirotida | <i>Stichopodidae</i> – Sea | Isostichopus fuscus | Ecuador |
| | cucumbers | | |

Class- Arachinda (Scorpions and spiders)

| Order | Family | Genus, species, or subspecies | Exceptions |
|---------|---------------------------------|-------------------------------|----------------|
| Araneae | <i>Theraphosidae-</i> Red-kneed | Caribena versicolor | European Union |
| | trantulas, trantulas | Calibella versicolor | Lutopean onion |

Class—Insecta (insects)



| Order | Family | Genus, species, or subspecies | Exceptions |
|-------------|---------------------------------|-------------------------------|--------------------------------|
| Coleoptera | <i>Lucanidae</i> – Stag beetles | <i>Colophon</i> spp. | South Africa |
| Lepidoptera | | Agrias amydon boliviensis | Plurinational State of Bolivia |
| | <i>Nymphalidae –</i> Brush- | Morpho godartii lachaumei | Plurinational State of Bolivia |
| | footed butterflies | Prepona praeneste | Plurinational State of Bolivia |
| | | buckleyana | Plumational State of Bolivia |

Phylum—Cnidaria

Class—Anthozoa (corals and sea anemones)

| Order | Family | Genus, species, or subspecies | Exceptions |
|------------|-----------------------------------|-------------------------------|------------|
| | | | China |
| Gorgonacea | <i>Coralliidae</i> – Red and pink | Corallium japonicum | China |
| | corals | Corallium konjoi | China |
| | | Corallium secundum | China |

Part II

FLORA (plants)

| Family Genus, species, or subspecies Exceptions |
|---|
|---|



| Aizoaceae – Stone plants | <i>Conophytu</i> spp. | South Africa |
|---|--|--------------------|
| | Mestoklema tuberosum | South Africa |
| <i>Apocynaecea</i> – Elephant trunks, hoodias, snakewood | Raphionacme zeyheri | South Africa |
| | Crassothonna clavifolia | South Africa |
| | Othonna armiana | South Africa |
| <i>Compositae (Asteraceae) -</i> Kuth | Othonna cacaliodes | South Africa |
| | Othonna euphorbiodes | South Africa |
| | Othonna retrorsa | South Africa |
| | Tylecodon bodleyae | South Africa |
| <i>Crassulaceae -</i> Roseroot | Tylecodon nolteei | South Africa |
| | Tylecodon reticulatus | South Africa |
| <i>Fagaceae</i> – Mongolian oak | <i>Quercus mongolica</i> ^{#5} | Russian Federation |
| | Monsonia herrei | South Africa |
| | Monsonia multifida | South Africa |
| <i>Gnetaceae</i> – Geraniums | Monsonia patersonii | South Africa |
| | Pelargonium crassicaule | South Africa |
| | Pelargonium triste | South Africa |
| <i>Gnetaceae</i> – Gnetum | <i>Gnetum montanum</i> ^{#1} | Nepal |



| <i>Leguminosae</i> – (Fabaceae) Afrormosia, cristobal, palisander, rosewood, sandalwood | Dipteryx panamensis | Costa Rica, Nicaragua, To be deleted on 25 November 2024 |
|---|---|---|
| <i>Magnoliaceae</i> – Magnolias | <i>Magnolia liliifera</i> var. <i>obovata</i> ^{#1} | Nepal |
| <i>Oleaceae</i> – Ashes, etc. | Fraxinus mandshurica ^{#5} | Russian Federation |
| Palmae – (Arecaceae) Palms | Lodoicea maldivica ^{#13} | Seychelles |
| <i>Papaveraceae</i> – Poppy | <i>Meconopsis regia</i> ^{#1} | Nepal |
| Passifloraceae – Passion-flowers | Adenia spinosa | South Africa |
| Pinaceae – Firs and pines | Pinus koraiensis ^{#5} | Russian Federation |
| Podocarpaceae – Podocarps | Podocarpus neriifolius ^{#1} | Nepal |
| <i>Portulacaceae</i> – Lewisias, portulacas, purslanes | Portulacaria pygmaea | South Africa |
| <i>Trochodendraceae</i> – (Tetracentraceae) Tetracentron | <i>Tetracentron sinense</i> ^{#1} | Nepal |

Interpretation

- 1. Species included in this Appendix are referred to:
 - a) By the name of the species; or
 - b) As being all of the species included in a higher taxon or designated part thereof.
- 2. The abbreviation "spp." is used to denote all species of a higher taxon.
- 3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in the Appendices. In most cases this is not all of the species within the family.



- 4. The following abbreviations are used for plant taxa below the level of species:
 - a) "ssp." is used to denote subspecies; and
 - b) "var(s)." is used to denote variety (varieties).
- 5. As none of the species or higher taxa of FLORA included in Appendix I is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.
- 6. The names of the countries in parentheses placed against the names of the species in this Appendix are those of the Parties to the Convention submitting these species for inclusion in the Appendix III of the Convention.
- 7. When a species is included in one of the Appendices, the whole, live or dead, animal or plant is included. In addition, for animal species listed in Appendix III and plant species listed in this Appendix or Appendix II, all parts and derivatives of the species are also included in the same Appendix unless the species is annotated to indicate that only specific parts and derivatives are included. The symbol # followed by a number placed against the name of a species or higher taxon included in this Appendix II refers to a footnote that indicates the parts or derivatives of animals or plants that are designated as 'specimens' subject to the provisions of the Convention in accordance with Article I, paragraph (b), subparagraph (ii) or (iii).
- 8. The terms and expressions below, used in annotations in this Appendix, are defined as follows:

<u>Extract</u>

Any substance obtained directly from plant material by physical or chemical means regardless of the manufacturing process. An extract may be solid (e.g. crystals, resin, fine or coarse particles), semi-solid (e.g. gums, waxes) or liquid (e.g. solutions, tinctures, oil and essential oils).

Finished musical instruments

A musical instrument (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is ready to play or needs only the installation of parts to make it playable. This term includes antique instruments (as defined by the Harmonized System codes 97.05 and 97.06; Works of art, collectors' pieces and antiques).

Finished musical instrument accessories



A musical instrument accessory (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is separate from the musical instrument, and is specifically designed or shaped to be used explicitly in association with an instrument, and that requires no further modification to be used.

Finished musical instrument parts

A part (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) of a musical instrument that is ready to install and is specifically designed and shaped to be used explicitly in association with the instrument to make it playable.

Finished products packaged and ready for retail trade

Products, shipped singly or in bulk, requiring no further processing, packaged, labelled for final use or the retail trade in a state fit for being sold to or used by the general public.

<u>Powder</u>

A dry, solid substance in the form of fine or coarse particles.

Shipment

Cargo transported under the terms of a single bill of lading or air waybill, irrespective of the quantity or number of containers, packages, or pieces worn, carried or included in personal baggage.

Ten (10) kg per shipment

For the term "10 kg per shipment", the 10 kg limit should be interpreted as referring to the weight of wood of each individual annotated species of genus Dalbergia or Guibourtia present in the items in the shipment. The 10 kg limit is to be assessed only against the individual weights of the portions of wood of each individual annotated species contained in each item of the shipment, and not against the total weight of the shipment. The total weights present of each individual annotated species are considered individually to determine whether a CITES permit or certificate is required for each individual annotated species, and weights of different individual annotated species are not added together for this purpose.

Transformed wood



Defined by Harmonized System code 44.09: Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, moulded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed.

<u>Woodchips</u>

Wood that has been reduced to small pieces.

- 1. For the exclusive purpose of allowing international trade in fibre from vicuñas (*Vicugna vicugna*) and their derivative products, only if the fibre comes from the shearing of live vicuñas. Trade in products derived from the fibre may only take place in accordance with the following provisions:
 - a) Any person or entity processing vicuña fibre to manufacture cloth and garments must request authorization from the relevant authorities of the country of origin (Countries of origin: The countries where the species occurs, that is, Argentina, Bolivia, Chile, Ecuador and Peru) to use the "vicuña country of origin" wording, mark or logo adopted by the range States of the species that are signatories to the Convention for the Conservation and Management of the Vicuña.
 - b) Marketed cloth or garments must be marked or identified in accordance with the following provisions:
 - i) For international trade in cloth made from live-sheared vicuña fibre, whether the cloth was produced within or outside of the range States of the species, the wording, mark or logo must be used so that the country of origin can be identified. The VICUÑA [COUNTRY OF ORIGIN] wording, mark or logo has the format as detailed in the respective Appendices of the Convention.

This wording, mark or logo must appear on the reverse side of the cloth. In addition, the selvages of the cloth must bear the words VICUÑA [COUNTRY OF ORIGIN].

ii) For international trade in garments made from live-sheared vicuña fibre, whether the garments were produced within or outside of the range States of the species, the wording, mark or logo indicated in paragraph b) i) must be used. This wording, mark or logo must appear on a label on the garment itself. If the garments are produced outside of the country of origin, the name of the country where the garment was produced should also be indicated, in addition to the wording, mark or logo referred to in paragraph b) i).



- c) For international trade in handicraft products made from live-sheared vicuña fibre produced within the range States of the species, the VICUÑA [COUNTRY OF ORIGIN] ARTESANÍA wording, mark or logo must be used as detailed in the respective Appendices of the Convention.
- d) If live-sheared vicuña fibre from various countries of origin is used for the production of cloth and garments, the wording, mark or logo of each of the countries of origin of the fibre must be indicated, as detailed in paragraphs b) i) and ii).
- e) All other specimens shall be deemed to be specimens of species listed in Schedule 1 and the trade in them shall be regulated accordingly.
- 2. Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Schedule 2):
 - For the exclusive purpose of allowing:
 - a) trade in hunting trophies for non-commercial purposes;
 - b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20 (Rev. CoP18), for Botswana and Zimbabwe and for in situ conservation programmes for Namibia and South Africa;
 - c) trade in hides;
 - d) trade in hair;
 - e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
 - f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;
 - g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:
 - i. only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);
 - ii. only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP18) concerning domestic manufacturing and trade;
 - iii. not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;
 - iv. raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);
 - v. in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph g) iv) above, in a single sale per destination under strict supervision of the Secretariat;
 - vi. the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and



- vii. the additional quantities specified in paragraph g) v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; and
- no further proposals to allow trade in elephant ivory from populations already in Schedule 2 shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs g) i), g) ii), g) iii), g) iii), g) iii), g) vi) and g) vii). In addition, such further proposals shall be dealt with in accordance with Decisions 16.55 and 14.78 (Rev. CoP16).

On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Schedule 1 and the trade in them shall be regulated accordingly.

- 9. Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of the Convention:
 - Hatiora x graeseri
 - Schlumbergera x buckleyi
 - Schlumbergera russelliana x Schlumbergera truncata
 - Schlumbergera orssichiana x Schlumbergera truncata
 - Schlumbergera opuntioides x Schlumbergera truncata
 - Schlumbergera truncata (cultivars)
 - Cactaceae spp. colour mutants grafted on the following grafting stocks: Harrisia 'Jusbertii', Hylocereus trigonus or Hylocereus undatus
 - Opuntia microdasys (cultivars).
- 10. Artificially propagated hybrids of the following genera are not subject to the provisions of the Convention, if conditions, as indicated under a) and b), are met: *Cymbidium, Dendrobium, Phalaenopsis* and *Vanda*.
- a) Specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and

b)



- i. when shipped in non-flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or
- ii. when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

- 11. Artificially propagated specimens of cultivars of Cyclamen persicum are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.
- 12. Artificially propagated hybrids and cultivars of Taxus cuspidata, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text 'artificially propagated', are not subject to the provisions of the Convention.
- #1 All parts and derivatives, except:
 - a) seeds, spores and pollen (including pollinia);
 - b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
 - c) cut flowers of artificially propagated plants; and
 - d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus Vanilla.
- #2 All parts and derivatives except:
 - a) seeds and pollen; and
 - b) finished products packaged and ready for retail trade.
- #3 Whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery.
- #4 All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix madagascariensis* and *Dypsis decaryi* exported from Madagascar;

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;



c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

f) finished products of *Aloe ferox* and *Euphorbia antisyphilitica* packaged and ready for retail trade.

g) finished products derived from artificial propagation, packaged and ready for retail trade of cosmetics containing parts and derivatives of Bletilla striata, Cycnoches cooperi, Gastrodia elata, Phalaenopsis amabilis or Phalaenopsis lobbii.

- #5 Logs, sawn wood and veneer sheets.
- #6 Logs, sawn wood, veneer sheets and plywood.
- #7 Logs, woodchips, powder and extracts.
- #8 Underground parts (i.e. roots, rhizomes): whole, parts and powdered.
- #9 All parts and derivatives except those bearing a label:

"Produced from *Hoodia* spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxxx] [South Africa under agreement No. ZA/xxxxxx]".

#10 - Designates logs, sawn wood and veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

#11 - Logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

#12 - Logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

#13 - The kernel (also known as 'endosperm', 'pulp' or 'copra') and any derivative thereof, except finished products packaged and ready for retail trade.

#14 - All parts and derivatives except:



- a) seeds and pollen;
- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) fruits;
- d) leaves;
- e) exhausted agarwood powder, including compressed powder in all shapes; and
- f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings.
- #15 All parts and derivatives, except:
 - a) Leaves, flowers, pollen, fruits, and seeds;
 - b) Finished products to a maximum weight of wood of the listed species of up to 10 kg per shipment;
 - c) Finished musical instruments, finished musical instrument parts and finished musical instrument accessories;
 - d) Parts and derivatives of Dalbergia cochinchinensis, which are covered by Annotation # 4;
 - e) Parts and derivatives of *Dalbergia* spp. originating and exported from Mexico, which are covered by Annotation # 6.
- #16 Seeds, fruits and oils.
- #17 Logs, sawn wood, veneer sheets, plywood and transformed wood.
- #18 Excluding parts and derivatives, other than eggs